

DEPARTMENT OF THE ARMY TECHNICAL MANU

ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT,
AND DEPOT MAINTENANCE REPAIR PARTS
AND SPECIAL TOOLS LIST

AIR CONDITIONER; BASE MOUNTED, AIR COOLED,
208V, 3 PHASE, 60 CYCLE, AC,
SINGLE PACKAGE, 36,000 BTU/HR
(YORK CORP MODEL MA3-F23A)
FSN 4120-926-1116

This copy is a reprint which includes current
pages from Changes 1 and 2.

CHANGE }
No. 2 }

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 27 March

Organizational, Direct and General Support and Depot Maintenance
Repair Parts and Special Tools List

AIR CONDITIONER; BASE MOUNTED, AIR COOLED, 208V,
3 PHASE, 60 CYCLE, AC, SINGLE PACKAGE, 36,000 BTU/HR
(YORK CORP MODEL MA3-F23A) FSN 4120-926-1116
(THERM-AIR MFG. CO. MODEL CB-36-08-3-60) FSN 4120-935-5348

TM 5-4120-259-25P, 24 September 1968, is changed as follows:

Page vi, paragraph 8 should read:

"Report of errors, omissions, and recommendations for improving this by the individual user is encouraged. Reports should be submitted on a DA 2028 (Recommended Changes to DA Publications) and forwarded direct to Command, U.S. Army Troop Support Command, ATTN: AMSTR-MCTS, 4300 Goodfellow Boulevard, St. Louis, Mo 63120-1798."

Pages 25, 66 and 87, Index Number 00513, FSN should read: "5930-00-636-272"

By Order of the Secretary of the Army:

JOHN A. WICKHAM, JR.
General, United States Army
Chief of Staff

Official:

R. L. DILWORTH
Brigadier General, United States Army
The Adjutant General

DISTRIBUTION:

To be distributed in accordance with DA Form 12-25A, Organizational, Direct and General Support Maintenance requirements for Air Conditioner, Floor Mounted BTU, 208V, AC, 60HZ, 3PH (MA-3-F23A and CB-36-08-3-60).

**Organizational, Direct and General Support, and Depot
Maintenance Repair Parts and Special Tools List**

**AIR CONDITIONER; BASE MOUNTED, AIR COOLED, 208V,
3 PHASE, 60 CYCLE, AC, SINGLE PACKAGE, 36,000 BTU/HR
(YORK CORP MODEL MA3-F23A) FSN 4120-926-1116
(THERM-AIR MFG. CO. MODEL CB-36-08-3-60) FSN 4120-935-5348**

TM 5 4120 259-25P, 24 September 1968, is changed as follows:

“(Therm-Air Mfg. Co. Model CB-36-08-3-60) FSN 4120-935-5348” is added to the title on the cover and contents pages.

Page VI. Paragraph 7. The following are added to the list of codes and manufacturers in proper numerical order:

00249.....Halstead and Mitchell
64731.....Welco Ind. Inc.
93929.....G-V Controls Inc.

All changes, additions, or deletions of Federal stock numbers or manufacturer's part numbers should be appropriately reflected in the parts listing and index of the manual.

Page VII. Section II is superseded as follows:

SECTION II

PRESCRIBED LOAD ALLOWANCE

(1) Federal stock number	(2) Description useable on code	(3) 15-day org maint. alw			
		(A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100
	GROUP 22 — MISCELLANEOUS BODY, CHASSIS OR HULL AND ACCESSORY ITEMS 2207 — WINTERIZATION EQUIPMENT				
4130-089-4566	HEATER, COMPRESSOR, CRANKCASE (10855) HT 32AZ223	*	*	2	2
	GROUP 40 — GENERATORS AND ROTATING EXCITER ASSEMBLIES				
	4000 — MOTOR ASSEMBLIES				
6105-891-7623	MOTOR, BLOWER: condenser (88422) 5K182HG4580T (York Model only)	*	*	*	2
	MOTOR, BLOWER: condenser (64731) 8020-3 (Therm Air Model only)	*	*	*	2
6105-983-5843	MOTOR, BLOWER: evaporator (66935) 060-00621C900 (York Model only)	*	*	*	2
	MOTOR, BLOWER: evaporator (64731) 6315-4 (Therm Air Model only)	*	*	*	2
	4006 — STARTING AND PROTECTIVE DEVICES				
6110-706-5398	CONTACTOR MOTOR: magnetic, AC (15605) 9560H392B.....	*	*	2	2
	4011 — CIRCUIT BREAKERS, CUTOUTS, FUSE AND FUSEHOLDERS				
5925-068-3940	CIRCUIT BREAKER (66935) 060-00497B900.....	*	*	*	2
	4012 — SWITCHES				
4130-087-4565	THERMOSTAT, CRANKCASE (10855) 76HC231-1122.....	*	*	2	2
5930-669-9958	SWITCH, ROTARY 3 POSITION (70655) 173C (Modified).....	*	*	*	2
5945-052-9013	RELAY ASSEMBLY: time delay (82768) DT1A220VA (York Model only)	*	*	*	2
	RELAY ASSEMBLY: time delay (93929) RF-20-NO-230 (Therm Air Model only)	*	*	*	2
	GROUP 52 — REFRIGERATION AND AIR CONDITIONING COMPONENTS				
	5244 — THERMOSTATIC CONTROLS				
6685-997-9776	THERMOSTAT ASSEMBLY (40931) T473C1050.....	*	*	*	2
	5245 — AIR FILTERS				
4130-983-5888	FILTER, AIR (01970) DWHA 3556.....	*	2	2	2

Page	Line	Action	Recoverability Code			Federal Stock Number	Description	Unit of issue	Qty. inc. in unit pack	Maintenance Allowances				Fig. No.	Item of Syn. No.
			Source	Maintenance	Recoverability					1-3	4-50	51-100			
9	00160	ch col 3.....	P	O	R	6105-983-5843	SECTION IV — REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE GROUP 40 — GENERATOR AND ROTATING EXCITER ASSEMBLIES 4000 — MOTOR ASSEMBLY MOTOR, BLOWER, EVAPORATOR: 1 3/4 HP (66935) 060 00621C900 (York Model Only) (Electric motors and repair parts are to be requisitioned by complete identifying nomenclature. Complete motor and frame nameplate data must be shown on the requisition to insure supply of the proper repair parts or motor.)	EA	1	*	*	*	2	9	1
	00160A	Add cols 1, 3, 4, 6, 7, and 8.	P	O	R	MOTOR, BLOWER, EVAPORATOR: 1 3/4 HP (64731) 6315-4 (Therm Air Model only) (Electric motors and repair parts are to be requisitioned by complete identifying nomenclature. Complete motor and frame nameplate data must be shown on the requisition to insure supply of the proper repair parts or motor.)	EA	1	*	*	*	2	9	10
	00161	Ch col 3.....	P	O	R	6105-891-7623	MOTOR, BLOWER CONDENSER: 1 1/2 HP (38422) 060-00621C900 (York Model only). (Electric motors and repair parts are to be requisitioned by complete identifying nomenclature. Complete motor and frame nameplate data must be shown on requisition to insure supply of proper repair parts or motor.)	EA	1	*	*	*	2	8	11

Page	Line	Action	(1) Source, Maintenance and Recoverability Code		(2) Federal Stock Number	(3) Description	(4) Unit of issue	(5) Qty. inc. in unit pack	(6) Qty. inc. in unit	(7) 15 Day Organizational Maintenance Allowances				Illustration No.
			Source	Maintenance						9-1	6-20	21-30	31-100	
14	00161A	Add cols. 1, 3, 4, 6, 7, and 8.	P	O	R	MOTOR, BLOWER CONDENSER: 11 ₂ HP (64731) 8020-3 (Therm Air Model Only). (Electric motors are repair parts are to be requisitioned by complete identifying nomenclature. Complete motor and frame nameplate data must be shown on requisition to insure supply of proper repair parts or motor.) 4012 — SWITCHES	EA	1	1	*	*	*	2	8
	00233	Ch col 3.....	P	O	5945-052-9018	RELAY ASSEMBLY: time delay (82768) DT1A220VA (York Model Only).	EA	1	1	*	*	*	2	4
	00233A	Add Cols 1, 3, 4, 6, 7, and 8.	P	O		RELAY ASSEMBLY: time delay (93929) RF-20-NO-230 (Therm Air Model only).	EA	1	1	*	*	*	2	4

Page	Line	Action	SMR code Index No.	Federal stock No.	Ref No & Mfr Code	Description Usable on Code	Unit of issue	Qty. inc. in unit pack	30-Day DS maint. alw.			30-Day GS maint. alw.			1 yr. alw. per 100 equip. cty key.	Depot maint. alw. per 100 equip.
									(a)	(b)	(c)	(a)	(b)	(c)		
39	00160	Ch coi 3.....	P O R	6105-983-5843		SECTION V — REPAIR PARTS FOR DS, GS, AND DEPOT MAINTENANCE GROUP 40 — GENERATOR AND ROTATING EXCITER ASSEMBLIES 4000 — MOTOR ASSEMBLY MOTOR, BLOWER, EVAPORATOR; 1 3/4 HP (66935) 060 00621C900 (York Model Only). (Electric motors and repair parts are to be requisitioned by complete identifying nomenclature Com- plete motor and frame nameplate data must be shown on the requisition to insure supply of the proper repair parts or motor).	EA	1	8	2 1	2 1	8	2 1	2 1	14	10

Page	Line	Action	(1) SMR code Index No.	(2) Federal stock No.	(3) Description Ref No & Mfr Code Useable on Code	(4) Unit of issue	(5) Qty. inc. in unit pack	(6) Qty. inc. in unit			(7) 30-Day DS maint. alw.			(8) 30-Day GS maint. alw.			(9) 1 yr. alw. per 100 equip. ctygcy.	(10) Depot maint. alw. per 100 equip.
								(a)	(b)	(c)	(a)	(b)	(c)	(a)	(b)	(c)		
	00169A	Add cols 1, 3, 4, 6, 7, 8, 9, 10 and 11.	P O R		MOTOR, BLOWER, EVAPORATOR: 1 1/3 HP (64731) 6315-4 (Therm Air Model Only). (Electric motors and repair parts are to be requisitioned by complete identifying nomenclature. Com- plete motor and frame nameplate data must be shown on the requisition to insure supply of the proper repair parts or motor.)	EA	1	*	2	2	1-20	21-50	51-100	1-20	21-50	51-100	14	10
	00161	Ch col 3	P O R	6105-891-7623	MOTOR, BLOWER CONDENSER: 1 1/3 HP (88422) 5K182HG4580T (York Model Only). (Electric motors and repair parts are to be requisitioned by complete identifying nomenclature. Com- plete motor and frame nameplate data must be shown on the requisition to insure supply of the proper repair parts or motor.)	EA	1	*	2	2	*	2	2	*	2	2	14	10

Page	Line	Action	(1) SMR code Index No.	(2) Federal stock No.	(3) Description Ref No & Mfr Code Useable on Code	(4) Unit of issue	(5) Qty. inc. in unit pack	(6) Qty. inc. in unit	(7) 30-Day DS maint. alw.			(8) 30-Day GS maint. alw.			(9) 1 yr. alw. per 100 equip. city- year.	(10) Depot maint. alw. per. 100 equip.	(11) Illustration	
									(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Fig. No.	(b) Item No.
	00415A	Add cols 1, 3, 4, 6, 7, 8, 9, 10, and 11.	P F		COIL, CONDENSER WITH HEADERS (00249) 13676- REVISION D (Therm Air Model Only). 5241 — EVAPORATOR	EA		1	1-20	21-50	51-100	1-20	21-50	51-100	*	*	7	
60	00432	Ch col 3.	P F	4130-087-4570	COIL, EVAPORATOR WITH HEADERS (66935) 360- 00365D900 (York Model Only). COIL, EVAPORATOR WITH HEADERS (00249) 13675- Revision E (Therm Air Model Only).	EA		1	1-20	21-50	51-100	1-20	21-50	51-100	*	*	7	
	00432A	Add cols 1, 3, 4, 6, 7, 8, 9, 10, and 11.	P F		COIL, EVAPORATOR WITH HEADERS (00249) 13675- Revision E (Therm Air Model Only).	EA		1	1-20	21-50	51-100	1-20	21-50	51-100	*	*	7	

Official:

Chief of Staff.

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-25, Section III, (qty rqr block No. 554) Organizational Maintenance requirements for Air Conditioners: 36,000 BTU, Floor Mounted.

**ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT, AND DEPOT
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS**

**AIR CONDITIONER; BASE MOUNTED, AIR COOLED,
208V, 3 PHASE, 60 CYCLE, AC,
SINGLE PACKAGE, 36,000 BTU/HR
(YORK CORP MODEL MA3-F23A)
FSN 4120-926-1116**

Current as of 5 September 1968

	Paragraph	Page
I. INTRODUCTION		
Scope	1	iii
General	2	iii
Explanation of columns	3	iii
Special information	4	v
How to locate repair parts	5	v
Abbreviations	6	vi
Federal supply codes for manufacturers	7	vi
Report of equipment publication improvements	8	vi
II. PRESCRIBED LOAD ALLOWANCE		vii
III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR ORGANIZATIONAL MAINTENANCE (NOT APPLICABLE)		
IV. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE		
18. Body, Cab, Hood and Hull		
1801 Panels		1
22. Miscellaneous Body, Chassis or Hull and Accessory Items.		
2207 Winterization equipment		8
2210 Data Plates		8
40. Generator and Rotating Exciter Assemblies		
4000 Motor assembly		9
4006 Starting and protective devices		10
4009 Control panels, housing, cubicles		11
4011 Circuit breakers, cutouts, fuse and fuseholders		13
4012 Switches		14
4018 Terminal blocks, junction boxes		14
52. Refrigeration and Air Conditioning Components		
5217 Refrigerant Piping		20
5241 Evaporator		20
5243 Blower assembly		21
5244 Thermostatic controls		25
5245 Air filters		25
95. General Use Standardized Parts		
9501 Bulk material		26
V. REPAIR PARTS FOR DS, GS, AND DEPOT MAINTENANCE		
15. Frame		
1501 Frame assembly		27

Group	18.	Body, Cab, Hood and Run	
	1801	Panels	
	22.	Miscellaneous Body, Chassis or Hull and Accessory Items	
	2207	Winterization equipment	
	2210	Data Plates	
	40.	Generator and Rotating Exciter Assemblies	
	4000	Motor assembly	
	4001	Rotor assemblies	
	4002	Stator assemblies	
	4006	Starting and protective devices	
	4009	Control panels, housing cubicles	
	4011	Circuit breakers, cutouts, fuse and fuseholders	
	4012	Switches	
	4018	Terminal blocks, junction boxes	
	52.	Refrigeration and Air Conditioning Components	
	5200	Gas compressor assembly	
	5217	Refrigerant piping	
	5224	Refrigerant accumulator	
	5230	Condenser	
	5235	Hydrating equipment	
	5241	Evaporator	
	5243	Blower assembly	
	5244	Thermostatic controls	
	5245	Air filters	
	95.	General Use Standardized Parts	
	9501	Bulk material	
SECTION	VI.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT	
		FOR DS, GS, AND DEPOT MAINTENANCE (NOT APPLICABLE)	
	VII.	FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX	

SECTION I

INTRODUCTION

1. Scope

This manual lists repair parts, special tools, and equipment required for the performance of organizational, direct support, general support, and depot maintenance of the air conditioner.

2. General

a. The repair parts list is arranged as follows:

(1) Individual parts and major assemblies are listed alphabetically by item name within the numbered functional groups.

(2) Assembly components and subassemblies are indented and listed alphabetically by item name under major assemblies.

b. This Repair Parts and Special Tools List is divided into the following sections:

(1) *Prescribed Load Allowance (PLA)—Section II.* A consolidated listing of repair parts quantitatively allocated for initial stockage at the organizational level. *This is a mandatory minimum stockage allowance.*

(2) *Special Tools, Test and Support Equipment—Section III.* A list of special tools, test and support equipment authorized for the performance of maintenance at the organizational level (Not Applicable).

(3) *Repair Parts—Section IV.* A list of repair parts authorized for the performance of maintenance at the organizational level.

(4) *Repair Parts—Section V.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level.

(5) *Special Tools, Test and Support Equipment—Section VI.* A list of special tools, test and support equipment authorized for the performance of maintenance at the

direct support, general support, and depot level. *Not Applicable.*

(6) *Federal Stock Number and Reference Number Index—Section VII.* A list of Federal stock numbers followed by reference numbers, appearing in all the listings, in ascending alpha-numeric sequence cross-referenced to index number.

3. Explanation of Columns

The following provides an explanation of columns in the tabular lists in sections II through VI.

a. *Source, Maintenance, and Recoverability Codes (SMR).*

Note. Common hardware items known to be readily available in Army supply channels will be assigned Maintenance codes only. Source codes, Recoverability codes, and Maintenance Allowances will not be assigned to this category.

(1) *Source Code.* Indicates the selection status and source for the listed item. Source codes used are:

Code	Explanation
P	Applied to repair parts which are stocked in or supplied from DSA/GSA or Army Supply system, and authorized for use at indicated categories.
M	Applied to repair parts which are not procured or stocked but are to be manufactured at indicated maintenance categories.
A	Applied to assemblies which are not procured or stocked, as such but made up of two or more units, each of which carry individual stock numbers and descriptions and are procured and stocked and can be assembled by units at indicated maintenance categories.
X	Applied to parts and assemblies which are not procured or stocked, the mortality of which is normally below that of the applicable end item, and the failure of which should result in retirement of the end item from the supply system.

Code	Explanation
X1	Applied to repair parts which are not procured or stocked, the requirement for which will be supplied by use of the next higher assembly or components.
X2	Applied to repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain them through cannibalization; if not obtainable through cannibalization, such repair parts will be requisitioned with supporting justification through normal supply channels.
C	Applied to repair parts authorized for local procurements. If not obtainable from local procurement, such repair parts will be requisitioned through normal supply channels with a supporting statement of non-availability from local procurement.
G	Applied to major assemblies that are procured with PEMA (Procurement Equipment Missile Army) funds for initial issue only to be used as exchange assemblies at DSU and GSU maintenance level. These assemblies will not be stocked above DSU and GSU level or returned to depot supply level.

(2) *Maintenance code.* Indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

Code	Explanation
O	Organizational maintenance
F	Direct support maintenance
H	General support maintenance
D	Depot maintenance

(3) *Recoverability code.* Indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

Code	Explanation
R	Applied to repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis.

(4) *Index Numbers.* This column also lists, below the SMR code, an index number for each item in ascending numerical sequence, which is used to locate items in the publication when the Federal stock number and/or reference number is known.

b. Federal Stock Number. Indicates the federal stock number for the item.

c. Description. Indicates the Federal name and any additional description of item required. The applicable five-digit Federal supply code for manufacturers' catalogues is followed by a part number and reference number.

d. Unit of Issue. Indicates the unit of issue, e.g., ea, pr, ft.

e. Quantity Incorporated in Unit. Indicates the actual quantity contained in each unit pack.

f. Quantity Incorporated in Unit. Indicates the quantity of the item used in the Federal group.

g. Fifteen-Day Organizational Maintenance Allowances.

(1) The allowance columns are divided into four subcolumns. Indicated in the first column opposite the first appearance of an item is the total quantity of items authorized for the number of equipments supported by subsequent appearances of the same item. Items which have no entry in the allowance column but which have in the description column a reference to the first appearance of the item. Items which are authorized for use as required but not for stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances are determined at the organizational level of maintenance required for one initial prescribed load for a 15-day period for the number of equipments supported by the Units and organizations authorized to maintain the prescribed loads will multiply the number of prescribed loads authorized by the quantity of repair parts reflected in the appropriate allowance column to obtain the total quantity of repair parts authorized.

(3) *Organizational units provided maintenance for more than 100 of these equipments shall determine the total quantity of repair parts required by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number, to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column.*

Example: Authorized allowance for 100 equipments is 12; for 140 equipments multiply 12 by 1.40 or 16.80 rounded off to 17 parts required.

(4) Subsequent changes to allowances will be listed as follows: No change in the range of items is authorized. If additional items are considered necessary, recommendation should be forwarded to U.S. Army Mobility Equipment Command for exception or revision to the allowance list. Revisions to the range of items authorized will be made by this Command based upon engineering experience, demand data, or TAERS information.

h. Thirty-Day DS/GS Maintenance Allowances.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have no entry in the allowance column, but will have in the description column a reference to the first appearance of the item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiply the decimal factor by the parts quantity authorized in the 51-100 allowance column.

Example: Authorized allowance for 51-100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

i. One-Year Allowances Per 100 Equipments/Contingency Planning Purposes. Indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

j. Depot Maintenance Allowance Per 100 Equipments. Indicates opposite the first appearances of each item the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have no entry in this column, but will have in the description column a reference to the first appearance of the item. Items authorized for use but not for initial stockage are identified with an asterisk in the allowance column.

k. Illustration.

(1) *Figure Number.* Indicates the figure number of the illustration in which the item is shown.

(2) *Item Number.* Indicates the callout number used to reference the item in the illustration.

4. Special Information

a. Identifications of the usable on codes of this publication are:

Code	Used On
NOT APPLICABLE	

b. Repair parts mortality has been based on 7,200 hours of operation per year.

c. Parts which require manufacture or assembly at a category higher than that authorized for installation will indicate in the source column the higher category.

d. The following publication pertains to Air Conditioner and its components:

TM 5-4120- 259-15	Operator, Organizational, Direct and General Support and Depot Maintenance Manual
----------------------	-----------------------------------------------------------------------------------

5. How to Locate Repair Parts

a. When Federal Stock Number or reference number is unknown:

(1) *First.* Using the table of contents, determine the functional group or subgroup within which the repair part belongs. This will refer to a page in the parts listing.

(2) *Second.* The illustration column of the page refers to a figure number.

(3) *Third.* Locate the figure and identify the repair parts, noting the item number.

(4) *Fourth.* Refer back to the page of the parts listing. Find the item number in the illustration column that corresponds with the figure number.

b. When Federal stock number or reference number is known:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers, find the pertinent Federal stock number or reference number. This index is in ascending alphanumeric sequence cross-referenced to an index number.

(2) *Second.* Using the Repair Parts Listing, find the index number referenced in the Index of Federal Stock Numbers and Reference Numbers.

6. Abbreviations

dia.....	diameter (s)
ft.....	foot (feet)
hp.....	horsepower
id.....	inside diameter (s)
lg.....	long (length)
mtg.....	mount (ing)
No.....	number (s)
od.....	outside diameter
sq.....	square
UNC.....	unified national coarse
UNF.....	unified national fine

7. Federal Supply Codes for Manufacturers

Code	Manufacturer
01970....	Continental Air Filters, Inc.
03481....	B. F. Goodrich Co.
03510....	General Electric Co.
03680....	Standard Pressed Steel Co.

Code	Manufacturer
07679....	Hardware Speciality Co.
08484....	Breeze Corporation, Inc.
10855....	Carrier Corporation
15605....	Cutler Hammer, Inc.
40913....	Minneapolis-Honeywell
41947....	Mueller Brass Co.
49472....	Ranco, Inc.
58553....	Superior Valve and Fittings Co.
59730....	Thomas Arthur Co.
60399....	Torrington Mfg. Co.
65491....	The Wicaco Machine Corp.
66935....	York Corp., Div. of Borgwarner
70255....	Alco Valve Co.
70436....	Arens Controls, Inc.
72794....	Ozus Fastener Co., Inc.
75382....	Kulka Electric Mfg. Co.
76055....	Yaxley Mfg., Div. P. R. Mallory and Co., Inc.
78462....	Sporlan Valve Co.
78553....	Tinnerman Products, Inc.,
82768....	Phillips Control Corp.
87531....	Standard Refrigeration Co.
88422....	General Electric Co.
91494....	A. P. Controls Corp.
95987....	Weckesser Co.
96906....	Military Standards
97539....	Apm Co.
99017....	Protective Closures Co., Inc.

8. Report of Equipment Publication Improvements

Report of errors, omissions, and recommendations for improving this manual by the individual user is encouraged. Reports should be submitted on a DA Form 2028 (Recommended Changes to DA Publications) and forwarded direct to Commanding General, U. S. Army Mobility Equipment Command, ATTN: AMSME-MPP, 4300 Goodfellow Boulevard, St. Louis, Mo. 63120.

SECTION II

PRESCRIBED LOAD ALLOWANCE

(1) Federal stock No.	(2) Description useable on code	(3) Qty inc in unit pack	(4) 15-day org maint. alw			
			(A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100
	GROUP 22—MISCELLANEOUS BODY, CHASSIS OR HULL AND ACCESSORY ITEMS					
	2207—WINTERIZATION EQUIPMENT					
130-087-4566	HEATER, COMPRESSOR, CRANKCASE (10855) HT32AZ223		*	*	2	2
	GROUP 40—GENERATORS AND ROTATING EXCITER ASSEMBLIES					
	4000—MOTOR ASSEMBLIES					
105-891-7623	MOTOR, BLOWER: condenser (88422) 5K182HG4580T		*	*	*	2
105-983-5843	MOTOR, BLOWER: evaporator (66935) 060-00621C900		*	*	*	2
	4006—STARTING AND PROTECTIVE DEVICES					
110-706-5398	CONTACTOR MOTOR: magnetic, AC (15605) 9560H392B		*	*	2	2
	4011—CIRCUIT BREAKERS, CUTOUTS FUSE AND FUSEHOLDERS					
925-068-3940	CIRCUIT BREAKER (66935) 060-00497B900		*	*	*	2
	4012—SWITCHES					
130-087-4565	THERMOSTAT, CRANKCASE (10855) 76HC231-1122		*	*	2	2
930-669-9958	SWITCH, ROTARY 3 POSITION (70655) 173C(MODIFIED)		*	*	*	2
945-052-9013	RELAY ASSEMBLY: time delay (82768) DT1A220VA		*	*	*	2
	GROUP 52—REFRIGERATION AND AIR CONDITIONING COMPONENTS					
	5244—THERMOSTATIC CONTROLS					
685-997-9776	THERMOSTAT ASSEMBLY (40931) T473C1050		*	*	*	2
	5245—AIR FILTERS					
130-983-5888	FILTER, AIR (01970) DWH A3556		*	2	2	2

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
REFERENCE NO. & MFR. CODE										
SECTION IV - REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE										
GROUP 18 - BODY, CAB, HOOD, AND HULL										
1801 - PANELS										
X20 00042		COVER, LIFTING RING (66935) 060-003408900	EA	4						1
X20 00043		GUARD, CONDENSER (66935) 360-00382D900	EA	1						3
X20 00044		GUARD, EVAPORATOR FAN OUTLET (66935) 360-00268C900	EA	2						2
X20 00045		PANEL, FILTER (66935) 360-00368C900	EA	1						3
X20 00046	5325-281-4968	FASTENER, GROMMET: PANEL, FILTER (72794) GA3-200	EA	10						3
X20 00047	5325-489-1054	FASTENER, SELF-LOCKING: PANEL, FILTER (72794) A3-30	EA	2						3
M O 00048		INSULATION, RUBBER: PANEL, FILTER (66935) 060-00370-900 MANUFACTURE FROM:	EA	1						
P O 00049	5640-914-6031	INSULATION, RUBBER (2 5/8 X 4 IN. REQUIRED)	FT		SEE GRP 9501					
X20 00050		PANEL, FRONT (66935) 360-00344D900	EA	1						2
X20 00051		GASKET, RUBBER: FRONT PANEL (66935) 060-00348A900	EA	2						2
X20 00052		GASKET, RUBBER: FRONT PANEL (66935) 060-00349A900	EA	1						2
X20 00053		GASKET, RUBBER: FRONT PANEL (66935) 060-00350A900	EA	2						2

(1) SWR CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUS TRATI NO
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
X20 00054		GASKET, RUBBER: FRONT PANEL (66935) 060-00351A900	EA	6						2
X20 00055		GASKET, RUBBER: FRONT PANEL (66935) 060-00352A900	EA	3						2
X20 00056		GASKET, RUBBER: FRONT PANEL (66935) 060-00353A900	EA	2						2
X20 00057		GASKET, RUBBER: FRONT PANEL (66935) 060-00354A900	EA	4						2
X20 00058		GASKET, RUBBER: FRONT PANEL (66935) 060-00383A900	EA	1						2
X20 00059		GASKET, RUBBER: FRONT PANEL (66935) 060-00387A900	EA	1						2
M O 00060		INSULATION, RUBBER: FRONT PANEL (66935) 060-00599-900 MANUFACTURE FROM:	EA	1						2
P O 00061	5640-914-6031	INSULATION, RUBBER (4 X 8 3/4 IN. REQUIRED)	FT		SEE GRP 9501					
M O 00062		INSULATION, RUBBER: FRONT PANEL (66935) 060-00356A900 MANUFACTURE FROM:	EA	2						
P O 00063	5640-914-6031	INSULATION, RUBBER (8 3/4 X 17 1/4 IN. REQUIRED FOR EACH)	FT		SEE GRP 9501					
M O 00064		INSULATION, RUBBER: FRONT PANEL (66935) 060-00355A900 MANUFACTURE FROM:	EA	1						2
P O 00065	5640-914-6031	INSULATION, RUBBER (12 1/4 X 13 3/4 IN. REQUIRED)	FT		SEE GRP 9501					

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
X20 00066		INSULATION, RUBBER: FRONT PANEL (66935) 060-00358A900 MANUFACTURE FROM:	EA		1					2
P 0 00067	5640-914-6031	INSULATION, RUBBER (12 1/4 X 13 3/4 IN. REQUIRED)	FT			SEE GRP 9501				3
M 0 00068		INSULATION, RUBBER: FRONT PANEL (66935) 060-00357A900 MANUFACTURE FROM:	EA		1					2
P 0 00069	5940-785-5888	RUBBER, SHEET (5 1/4 X 8 3/4 IN. REQUIRED)	FT			SEE GRP 9501				3
X20 00070		NUT, SELF-LOCKING PLATE: FRONT PANEL TO CONTROL PANEL, LEFT SIDE PANEL TO MAINTENANCE PANEL, No. 10-32 THD (03680) SPS13605-02	EA		10					2
O 00071	5320-761-3134	RIVET, BLIND, FLUSH: FRONT PANEL TO CONTROL PANEL, .094 DIA X .328 LG (96906) MS20609A03W4	EA		8	*	*	*	*	2
X20 00072		PANEL, LEFT SIDE (66935) 360-003800900	EA		1					2
X20 00073	5325-285-3373	FASTENER, SPRING LATCH: FRAME TO MAINTENANCE PANEL (72794) S3-150	EA		4					2
X20 00074		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-004788900	EA		1					2
X20 00075		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-004808900	EA		1					2
X20 00076		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00486A900	EA		1					2
X20 00077		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00481A900	EA		1					2
X20 00078		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00479A900	EA		1					2

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY R-C IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUS TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
X20 00079		REFERENCE NO. & MFR. CODE	USABLE ON CODE							
X20 00080		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00482A900	EA		1					
X20 00081		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00487A900	EA		1					2 7
M O 00082		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00483A900	EA		1					2 39
P O 00083	5640-914-6031	INSULATION, RUBBER (8 1/2 X 13 9/16 REQUIRED)	FT			SEE GRP 950				2 17
M O 00084		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00485A900 MANUFACTURE FROM:	EA		1					2 41
P O 00085	5640-914-6031	INSULATION, RUBBER (10 3/16 X 16 7/8 IN. REQUIRED)	FT			SEE GRP 950				
O 00086	5320-117-6939	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL TO MAINTENANCE PANEL, 3/32 DIA X 5/16 LG (96906) MS20426AD3-5	EA		8	*	*	*	*	2 12
O 00087	5320-117-6938	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL 3/32 DIA X 1/4 LG (96906) MS20426AD3-4	EA		6	*	*	*	*	2 44
O 00088	5320-584-0672	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL TO MAINTENANCE PANEL, 3/32 DIA X 3/8 LG (96906) MS20426AD3-6	EA		6	*	*	*	*	2 16
O 00089	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: LEFT SIDE PANEL, No. 10-32 UNF X 3/4 LG (96906) MS51958-65	EA		3	*	*	*	*	2 3
X20 00090		STRIP, MOUNTING: 1/8 X 1/2 X 13 LG (66935) 060-00488A900	EA		1					2 5
X20 00091		PANEL, RIGHT SIDE (66935) 360-00381D900	EA		1					3 17

(1) SMR CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLU TRA FIG NO.
						(a)	(b)	(c)	(d)	
			USABLE ON CODE			1-5	6-20	21-50	51-100	
X20 00092		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00487A900	EA	1	1					3
X20 00093		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00482A900	EA	2	2					3
X20 00094		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00457A900	EA	1	1					3
X20 00095		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00456A900	EA	1	1					3
X20 00096		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00479A900	EA	1	1					3
X20 00097		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00481A900	EA	1	1					3
X20 00098		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00486A900	EA	1	1					3
X20 00099		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00480B900	EA	1	1					3
X20 00100		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00455A900	EA	1	1					3
X20 00101		INSULATION, RUBBER: RIGHT SIDE PANEL (66935) 060-00453A900	EA	1	1					3
M O 00102		INSULATION, RUBBER: RIGHT SIDE PANEL (66935) 060-00451A900 MANUFACTURE FROM:	EA	1	1					3
P O 00103	5640-914-6031	INSULATION, RUBBER (6 5/16 X 13 1/2 IN. REQUIRED)	FT			SEE GRP 9501				
M O 00104		INSULATION, RUBBER: RIGHT SIDE PANEL (66935) 060-00454A900 MANUFACTURE FROM:	EA	1	1					3
P O 00105	5640-914-6031	INSULATION, RUBBER (10 3/16 X 16 7/8 IN. REQUIRED)	FT			SEE GRP 9501				

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				ILL TR FIG NO.
						(a)	(b)	(c)	(d)	
		REFERENCE NO. & MFR. CODE	USABLE ON CODE			1-5	2-20	21-50	51-100	
M O 00106		INSULATION, RUBBER: RIGHT SIDE PANEL (66935) 060-00452A900 MANUFACTURE FROM:	EA		1					3
P O 00107	5640-914-6031	INSULATION, RUBBER (10 3/16 X 13 1/2 IN. REQUIRED)	FT			SEE GRP 9501				3
X20 00108		NUT, SELF-LOCKING, PLATE: FRAME TO RIGHT SIDE PANEL, No. 10-32 UNF (03680) SPS13605-02	EA		3					3
O 00109	5320-117-6938	RIVET, COUNTERSUNK HEAD, SOLID: FRAME TO RIGHT SIDE PANEL, 3/32 DIA X 1 1/4 LG (96906) MS20426AD3-4	EA		6	*	*	*	*	3
O 00110	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: FRAME TO RIGHT SIDE PANEL, No. 10-32 UNF X 3/4 LG (96906) NS1958-65	EA		3	*	*	*	*	3
X20 00111		PANEL, TOP (66935) 360-003780900	EA		1					1
X20 00112		GASKET, RUBBER: TOP PANEL (66935) 060-00472B900	EA		2					1
X20 00113		GASKET, RUBBER: TOP PANEL (66935) 060-00474B900	EA		2					1
X20 00114		GASKET, RUBBER: TOP PANEL (66935) 060-00475B900	EA		1					1
X20 00115		INSULATION, RUBBER: TOP PANEL (66935) 060-00471-900	EA		1					1
M O 00116		INSULATION, RUBBER: TOP PANEL (66935) 060-00470B900 MANUFACTURE FROM:	EA		1					1
P O 00117	5640-914-6031	INSULATION, RUBBER (11 X 38 3/4 IN. REQUIRED)	FT			SEE GRP 9501				1

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
						(a)	(b)	(c)	(d)	
			USABLE ON CODE			1-5	6-20	21-50	51-100	FIG NO.
M 0 00118		INSULATION, RUBBER; TOP PANEL (66935) 060-004738900 MANUFACTURE FROM:	EA	1						1
P 0 00119	5640-914-6031	INSULATION, RUBBER (1 1/2 X 38 3/4 IN. REQUIRED)	FT		SEE CRP 9501					1
X20 00120		NUT, SELF-LOCKING PLATE: LIFTING RING COVER TO TOP PANEL, No. 10-32 UNF (03680) SPS13605-02	EA	4						2
X20 00121		NUT, SELF-LOCKING PLATE: LIFTING RING COVER TO TOP PANEL, No. 6-32 UNC (03680) SPS13605-062	EA	4						1
0 00122	5320-117-6938	RIVET, COUNTERSUNK HEAD, SOLID: LIFTING RING COVER TO TOP PANEL, 3/32 DIA X 1/4 LG (96906) MS20426AD3-4	EA	16		*	*	*	*	1
X20 00123		PANEL, MAINTENANCE (66935) 360-003290900	EA	1						2
X20 00124	5325-281-1968	FASTENER, GROMMET: MAINTENANCE PANEL (72794) GA3-200	EA	5						2
X20 00125	5325-171-6795	FASTENER, SELF-LOCKING: MAINTENANCE PANEL (72794) A3-35	EA	1						2
X20 00126		FASTENER, SELF-LOCKING: FILTER AND MAINTENANCE PANEL MTG (72794) A3-50	EA	6						3
X20 00127		GASKET, RUBBER: MAINTENANCE PANEL (66935) 060-00328A900	EA	1						3
X20 00128		INSULATION, RUBBER: MAINTENANCE PANEL (66935) 060-00330-900	EA	1						3
X20 00129		SCREEN, FRESH AIR (66935) 360-00388C900	EA	2						10
0 00130	5305-054-6650	SCREW, MACHINE, PAN HEAD, RECESSED: LIFTING RING COVER TO TOP PANEL, No. 6-32 UNC X 1/24 LG (96906) MS51957-26	EA	4		*	*	*	*	1

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW			
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
0 00131	5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED: LIFTING RING COVER TO PANEL, 1/2 No. 10-32 UNF X 1/2 LG (96906) MS51958-64	EA		4	*	*	*	*
0 00132	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: FRAME TO TOP PANEL, No. 10-32 UNF X 3/4 LG (96906) MS51958-65	EA		31	*	*	*	*
0 00133	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: EVAPORATOR FAN OUTLET GUARD TO FRONT PANEL, LEFT SIDE PANEL AND MAINTENANCE PANEL MOUNTING, No. 10-32 THD X 3/4 IN. LG (96906) MS51958-65	EA		39	*	*	*	*
0 00134	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: FRAME TO RIGHT SIDE PANEL, CONDENSER GUARD AND FILTER DOOR MOUNTING, No. 10-32 THD X 3/4 IN. LG (96906) MS51958-65	EA		49	*	*	*	*
0 00135	5305-059-3671	SCREW, MACHINE, PAN HEAD, RECESSED: CONDENSER GUARD TO FRAME, BOTTOM 1/4-28 THD X 3/4 IN. LG (96906) MS51958-81	EA		2	*	*	*	*
00136		GROUP 22 - MISCELLANEOUS BODY, CHASSIS OR HULL AND ACCESSORY ITEMS							
00137		2207 - WINTERIZATION EQUIPMENT							
P 0 00138	4130-087-4566	HEATER, COMPRESSOR CRANKCASE (10855) HT32AZ223	EA		1	*	*	2	2
X20 00139		SPRING, HEATER, COMPRESSOR (10855) 6A20-1481	EA		1				
00140		2210 - DATA PLATTS							
X20 00141		DECAL, FRAME, CABINET (66935) 035-00077B900	EA		1				
X20 00142		DECAL, FRONT PANEL (66935) 035-00079B900	EA		2				

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION	
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG NO.	(b) ITEM NO.
X20 00143		DECAL, FRONT AND MAINTENANCE PANEL (66935) 035-000808900	EA		1					2	30
X20 00144		DECAL, FRONT PANEL (66935) 035-000828900	EA		1					2	26
X20 00145		DECAL, LEFT SIDE PANEL (66935) 035-000788900	EA		1					2	15
X20 00146		DECAL, PANEL (66935) 035-000818900	EA		2					1	7
X20 00147		DECAL, PANEL (66935) 035-000838900	EA		1						
X20 00148		DECAL, FILTER PANEL (66935) 035-000768900	EA		1						
X20 00149		DECAL, CONTROL BOX (66935) 035-000848900	EA		1					4	24
00154		GROUP 40 - GENERATOR AND ROTATING EXCITER ASSEMBLIES									
00155		4000 - MOTOR ASSEMBLY									
P O R 00160	6105-983-5843	MOTOR, BLOWER, EVAPORATOR: 1/3 HP (66935) 060-00621C900 (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAMEPLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER REPAIR PARTS OR MOTOR)	EA		1	*	*	*	2	9	10
P O R 00161	6105-891-7623	MOTOR, BLOWER CONDENSER: 1 1/2 HP (88422) 5K182H045801 (ELECTRIC MOTORS AND REPAIRS PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAMEPLATE DATA MUST BE SHOWN ON REQUISITION TO INSURE SUPPLY OF PROPER REPAIR PARTS OR MOTOR)	EA		1	*	*	*	2	8	11
0 00162	5306-638-7719	SCREW, CAP, HEXAGON HEAD: EVAPORATOR MOTOR MTG 5/16-24 UNF X 7/8 LG (96906) M535308-333	EA		4	*	*	*	*	9	11

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS TRAT FIG NO.
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
0 00163	5305-708-8385	SCREW, CAP, HEXAGON HEAD: CONDENSER MOTOR MTG 3/8-24 THD X 1 3/8 IN. LG (96906) MS35308-363	EA		4	*	*	*	*	4
00173		4006 - STARTING AND PROTECTIVE DEVICES								
P 0 00174	6110-706-5398	CONTACTOR, MOTOR: MAGNETIC, AC (15605) 9560H392B	EA		3	*	*	2	2	4
0 00177	5310-016-7326	NUT, SELF-LOCKING HEXAGON: CONTACTOR MOUNTING TO JUNCTION BOX, NO. 10-32 UNF (96906) MS21045-3	EA		9	*	*	*	*	4
0 00178	5305-059-3657	SCREW, MACHINE, PAN HEAD, RECESSED: CONTACTOR MOUNTING TO JUNCTION BOX, NO. 10-32 UNF X 3/8 LG (96906) MS51958-61	EA		7	*	*	*	*	4
0 00179	5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED: CONTACTOR AND CLAMP TO JUNCTION BOX, NO. 10-32 UNF X 5/8 LG (96906) MS1958-64	EA		2	*	*	*	*	4
X20 00182		ADAPTER, ELECTRICAL CONNECTOR: DUAL PRESSURE (66935) 023-091058900	EA		1					4
X20 00183		CONNECTOR, PIN: DUAL PRESSURE SWITCH RECEPTACLE, BOX MOUNTING (96906) MS3102R12S3PX	EA		1					4
X20 00184	5330-079-7838	GASKET, RUBBER: 1.094 sq (96906) MS51007-3	EA		1					
0 00185	5310-982-5000	NUT, SELF-LOCKING HEXAGON: CONNECTOR TO ADAPTER MTG No. 4-40 THD (96906) MS21045C04	EA		4	*	*	*	*	4
0 00186	5305-054-5656	SCREW, MACHINE, PAN HEAD: CONNECTOR TO ADAPTER MTG No. 4-40 THD SIZE, 1 1/4 IN. LG (96906) MS51957-22	EA		4	*	*	*	*	4
X20 00188		WIRE, ELECTRICAL ASSEMBLY (66935) 360-002740972	EA		1					

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
X20 00189	5940-557-1627	TERMINAL, LUG: FOR No. 8 STUD (96906) MS25036-53	EA		1					
X20 00190		WIRE, ELECTRICAL: AN-16 600V TYPE 1 (23 FT. REQUIRED) (66935) 025-14404-900	FT							
X20 00191		WIRE, ELECTRICAL JUMPER (66935) 060-002740975	EA		1					
00192		4009 - CONTROL PANELS, HOUSING, CUBICLES								
X20 00193		CONTROL BOX, PANEL ASSEMBLY (66935) 360-003460900	EA		1					
X20 00194		ADAPTER, ELECTRIC CONNECTION (66935) 023-091058900	EA		1					
X20 00195		BOX, CONTROL PANEL (66935) 360-004380900	EA		1					4 21
X20 00196		CHAIN, BEAD: WITH PLUG (66935) 360-003758900	EA		1					
X20 00197		FASTENER: BEAD CHAIN FOR 1/8 CHAIN	EA		2					4 55
X20 00198		CHAIN, BEAD: # 1/8 IN. LG (66935) 060-00377-900	EA		1					4 56
X20 00199		PLUG, DOT: 1 IN. OD (66935) 060-00620A900	EA		1					4 57
0 00200	5320-117-6826	RIVET, UNIVERSAL HEAD SOLID: CHAIN TO CONTROL BOX WALL, AND PLUG 1/8 DIA X 1/4 LG (96906) MS20470AD4-4	EA		2	*	*	*	*	4 54
X20 00201		COVER, CONTROL BOX PANEL (66935) 360-00395C900	EA		1					4 28
X20 00202		GASKET, RUBBER: COVER (66935) 060-00431B900	EA		1					4 29

(1) NMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUS- TRATION	
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG NO	(b) ITEM NO.
0 203		INSULATION, RUBBER (66935) 060-004328900 MANUFACTURE FROM:	EA		1					4	33
0 204	5640-785-7888	INSULATION, RUBBER (6 3/4 X 5 1/2 IN. REQUIRED)	SH								
0 205		GASKET, RUBBER: CONTROL PANEL (66935) 060-006118900	EA	1		SEE GRP 9501				4	18
0 206		INSULATION, RUBBER (66935) 060-006138900 MANUFACTURE FROM:	EA	2						4	19
0 207	5640-785-7888	INSULATION RUBBER (4 3/8 X 6 9/16 IN. REQUIRED FOR 1 EACH)	SH			SEE GRP 9501					
0 208		INSULATION, RUBBER (66935) 060-006128900 MANUFACTURE FROM:	EA	1						4	20
0 209	5640-785-7888	INSULATION, RUBBER (4 3/8 X 8 7/8 IN. REQUIRED)	SH			SEE GRP 9501					
0 210		NUT, SELF-LOCKING PLATE: No. 10-32 UNF (03680) SPS13605-02	EA	8						4	40
0 211	5320-117-6939	RIVET, COUNTERSUNK HEAD, SOLID: 3/32 DIA X 5/16 LG (96906) MS20426AD3-5	EA	16		*	*	*	*	4	39
0 212	5310-061-7326	SCREW, MACHINE, PAN HEAD, RECESSED: COVER TO CONTROL PANEL, No. 10-32 UNF X 1/2 LG (96906) MS51958-63	EA	8		*	*	*	*	4	32
0 213		WIRE ASSEMBLY, ELECTRICAL (66935) 360-002740971 MANUFACTURE FROM:	EA	2							
0 214	6145-518-7517	WIRE, ELECTRICAL: AN-16 600V TYPE 1 (23 FT. REQUIRED)	EA								
0 215	5940-557-1627	TERMINAL, LUG: FOR No. 8 STUD (96906) MS25036-53	EA	1							
0 216	5330-079-7840	GASKET, RUBBER: 1 3/8 sq (96906) MS51007-6	EA	1						4	27

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
0 00217 M O 00218	5310-982-5000	NUT, SELF-LOCKING HEXAGON: HARNESS TO COVER, No. 4-20 UNC (96906) MS21045C04 HARNESS, WIRING CONTROL BOX (66935) 360-00359C900 MANUFACTURE FROM:	EA		4	*	*	*	*	4 36
X20 00219	5935-801-6617	CONNECTOR, PIN: CONTROL BOX MOUNTING (96906) MS3102R18-4p	EA		1					4 26
X20 00220		TWINE LACING: ELECTRIC HARNESS (66935) 025-14416-900	FT		6					
M O 00221		INSULATION TUBING: 5/16 DIA NON RIGID (66935) 060-00495-900 MANUFACTURE FROM:	EA		1					4 25
P O 00222	5970-899-7760	INSULATION TUBING: 5/16 IN. DIA, NON RIGID (18 IN. REQUIRED)	FT			SEE GRP 9501				
P O 00223	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT		6					
O 00224	5310-059-3677	SCREW, MACHINE, PAN HEAD, RECESSED: CONTROL BOX MOUNTING TO FRAME, No. 10-32 UNF X 3/4 LG (96906) MS51958-65	EA		8	*	*	*	*	4 23
O 00225	5305-054-5651	SCREW, MACHINE. PAN HEAD, RECESSED: HARNESS TO COVER, No. 4-40 UNC X 1/2 LG (96906) MS51957-17	EA		4	*	*	*	*	4 31
00226		4011 - CIRCUIT BREAKERS, CUTOUTS, FUSE AND FUSE HOLDERS								
P O 00227	5925-068-3940	CIRCUIT, BREAKER (66935) 060-00497B900	EA		1	*	*	*	2	4 3
X20 00228		SCREW: SHIELD MOUNTING CIRCUIT BREAKER (97539) HE1050ASSY	EA		6					4 1
X20 00229	5925-979-5856	SHIELD, CIRCUIT BREAKER (97539) 025HE1050ASSY	EA		1					4 2

(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15 DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUS- TRATION
					(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
	4012 - SWITCHES								
5355-855-6235	KNOB, POINTER, ROTARY SWITCH (96906) MS25165-1	EA		1					4 59
5355-579-2896	NUT, ROTARY SWITCH (96906) MS25165-1	EA		1	*	*	*	*	4 58
5945-052-9018	RELAY ASSEMBLY: TIME DELAY (82768) DT1A220VA	EA		1	*	*	*	2	4 64
5305-054-6657	SCREW, MACHINE, PAN HEAD, RECESSED: RELAY TO JUNCTION BOX, No. 6-32 UNC X 7/8 LG (96906) MS51957-33	EA		2	*	*	*	*	4 65
5310-889-2544	NUT, SELF-LOCKING HEXAGON: RELAY TO JUNCTION BOX, No. 6-32 UNC (96906) MS21045-06	EA		2	*	*	*	*	4 12
5930-669-9958	SWITCH, ROTARY, 3 POSITION (76055) 173CMODIFIED	EA			*	*	*	2	4 46
4130-087-4565	THERMOSTAT, CRANKCASE (10855) 76HC231-1122	EA		1	*	*	2	2	7 33
	4018 - TERMINAL BLOCKS, JUNCTION BOXES								
	BOARD, TERMINAL: JUNCTION BOX ASSEMBLY (75382) N03-603	EA		1					4 63
5330-914-7651	GASKET, RUBBER: CONNECTOR MTG (96906) MS51007-12	EA		1					4 7
5330-836-4355	GASKET, RUBBER: CONNECTOR MTG (96906) MS51007-7	EA		1					4 15

(1) SMR CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION (a) FIG NO.
						(a)	(b)	(c)	(d)	
			USABLE ON CODE			1-5	6-20	21-50	51-100	
M O 00245		HARNES WIRING: DISTRIBUTOR JUNCTION BOX (66935) 360-003430900 MANUFACTURE FROM:	EA		1					
X20 00246	5935-991-7233	CONNECTOR, SOCKET RECEPTACLE: BOX MOUNTING (96906) MS3102R32-6S	EA		1					
X20 00247	5940-204-9142	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-12	EA	15						
X20 00248	5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8	EA	30						
X20 00249	5940-534-0970	TERMINAL, LUG: CRIMP FOR No. 6 STUD (96906) MS25036-7	EA	6						
X20 00250		TWINE, LACING: ELECTRIC, HARNESS (66935) 025-14416-900	FT	15						
P O 00251	6145-578-7513	WIRE, ELECTRICAL: AN-10 600V TYPE I (66935) 025-14402-900	FT	6						
P O 00252	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT	19						
M O 00253		WIRE, ELECTRICAL: JUMPER (66935) 360-00274D923 MANUFACTURE FROM:	EA	1						
P O 00254	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT	25						
X20 00255	5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8	EA	1						
X20 00256	5940-534-0970	TERMINAL, LUG: CRIMP FOR No. 6 STUD (96906) MS25036-7	EA	1						
M O 00257		WIRE, ELECTRICAL: JUMPER (66935) 360-0027D924 MANUFACTURE FROM:	EA	1						
P O 00258	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT	25						

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS TRAT (a) FIG NO.
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
X20 00259	5940-644-8713	TERMINAL LUGS CRIMP FOR No. 10 STUD (96906) MS25036-8	EA		2					
X20 00260	5940-534-0970	TERMINAL, LUGS CRIMP FOR No. 6 STUD (96906) MS25036-7	EA	1	1					
M O 00261		WIRE, ELECTRICAL: DELAY SWITCH (66935) 360-002740973 MANUFACTURE FROM:	EA	1	1					
P O 00262	6145-578-7515	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT	67						
X20 00263	5940-644-8713	TERMINAL, LUGS CRIMP FOR No. 10 STUD (96906) MS25036-8	EA	1	1					
M O 00264		WIRE, ELECTRICAL: DELAY SWITCH (66935) 360-002740974 MANUFACTURE FROM:	EA	1	1					
P O 00265	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT	92						
X20 00266	5940-644-8713	TERMINAL, LUGS CRIMP FOR No. 10 STUD (96906) MS25036-8	EA	1	1					
X20 00267		BOX, POWER, INPUT (66935) 360-00373C900	EA	1	1					
O 00268	5320-761-3134	RIVET, BLIND, FLUSH: .094 DIA X .328 LG (96906) MS20005AD344	EA	10	10	*	*	*	*	
X20 00269		NUT, SELF-LOCKING PLATE: POWER BOX TO FRAME, PANEL TO POWER BOX, No. 10-32 UNF (03680) CPS13605-02	EA	5	5					
X20 00270	5935-577-8589	CAP, DUST: ELECTRICAL RECEPTACLE (96906) MS25043-22C	EA	1	1					
X20 00271	5935-817-0568	CONNECTOR, CONDUIT BOX: COMPRESSOR (96906) MS3102R2411P	EA	1	1					
X20 00272		COVER, CONDUIT BOX: COMPRESSOR (10855) 76HC381-134	EA	1	1					

(1) FEDERAL STOCK NUMBER	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15. DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUSTRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
73	5340-929-3506	CLAMP, TUBE: INSULATION TUBING (96906) MS21322-40	EA		7					4
74	5325-174-9008	GROMMET, RUBBER: PROTECTS HARNESS THROUGH EVAPORATOR SECTION DECK, 1/2 ID X 1/2 OD 1/4 THK (96906) MS35489-15	EA		1					
75		HARNESS, WIRING POWER DISTRIBUTOR (66935) 360-00275E900 MANUFACTURE FROM:	EA		1					
76		CONNECTOR, PIN: JUNCTION BOX (96906) MS25183-32-6P	EA		1					4
77		CONNECTOR, SOCKET: COMPRESSOR (96906) MS25183-24-11S	EA		1					
78		CONNECTOR, SOCKET: CONTROL PANEL (96906) MS25183-18-4S	EA		1					4
79	5935-581-4193	CONNECTOR, SOCKET: EVAPORATOR AND CONDENSER FAN MOTOR (96906) MS25183-16S	EA		2					
80	5935-559-1782	CONNECTOR, SOCKET: SOLENOID VALVE (96906) MS25183-12S3S	EA		1					
81		CONNECTOR, SOCKET: DUAL PRESSURE SWITCH (96906) MS25183-12S3SX	EA		1					
82		TWINE, LACING: ELECTRICAL HARNESS (AS REQUIRED) (66935) 025-14416-900	FT							
83		INSULATION, TUBING: JUNCTION BOX PIN CONNECTOR TO BRANCH, 7/8 DIA (66935) 060-00196-900	EA		1					
84	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (9 FT REQUIRED) (66935) 025-14404-900	FT							
85	6145-578-7513	WIRE, ELECTRICAL: AN-10 600V TYPE I (66935) 025-14402-900 (19 FT REQUIRED)	FT							

(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION	
					(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG NO.	(b) ITEM NO.
		USABLE ON CODE								
	HARNESS, WIRING: POWER INPUT BOX (66935) 360-00325D900 MANUFACTURE FROM:	EA		1						
	CONNECTOR, PIN: BOX MOUNTING (96906) MS3103-22-22P	EA		1					4	13
	CONNECTOR, SOCKET (96906) MS25183-22-22S	EA		1					4	49
	STRAP, CABLE (59730) TANDBTY25	EA		4					4	48
6145-284-0657	WIRE, ELECTRICAL: AN-8 600V TYPE II (66935) 025-14401-900	FT							4	47
	HARNESS, WIRING: POWER INPUT JUNCTION BOX (66935) 360-00336C900 MANUFACTURE FROM:	EA		1						
5935-804-5816	CONNECTOR, PIN, RECEPTACLE: BOX MOUNTING (96906) MS3102R22-22P	EA		1					4	14
6145-284-1657	WIRE, ELECTRICAL: AN-8 600V TYPE II (18 IN. REQUIRED) (66935) 025-14401-900	FT								
5940-557-1631	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-15	EA		4						
5310-889-2549	NUT, SELF-LOCKING HEXAGON: WIRING HARNESS AND TERMINAL BOARD TO JUNCTION BOX, No. 8-32 UNC (96906) MS21045-08	EA		6	*	*	*	*	4	6
5310-982-5000	NUT, SELF-LOCKING HEXAGON: HARNESS TO POWER BOX, No. 4-40 UNC (96906) MS21045C04	EA		4	*	*	*	*	4	36
5310-982-5000	NUT, SELF-LOCKING HEXAGON: GROUND No. 4-40 THD (96906) MS21045C04	EA		2	*	*	*	*	3	8
5310-042-6903	NUT, HEXAGON: CLAMP TO CONTROL BOX, No. 10-32 UNF (96906) MS35650-102	EA		2	*	*	*	*	4	45

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) - 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUS- TRATION (a)	ITEM NO.
						(a)	(b)	(c)	(d)		
		REFERENCE NO. & MFR. CODE	USABLE ON CODE			1-5	6-20	21-50	51-100	FIG	
0 00303	5305-054-6672	SCREW, MACHINE, PAN HEAD, RECESSED: TERMINAL BOARD AND WIRING HARNESS TO JUNCTION BOX, No. 8-32 UNC X 3/4 LG (96906) MS51957-47	EA		6	*	*	*	*	4	17
0 00304	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: PLATE TO JUNCTION No. 10-32 UNF X 1/2 LG (96906) MS51958-63	EA		2	*	*	*	*	8	1
0 00305	5305-054-5651	SCREW, MACHINE, PAN HEAD, RECESSED: GROUND No. 4-40 UNC 1/2 LG (96906) MS51957-47	EA		1	*	*	*	*	3	40
0 00306	5305-071-1322	SCREW, MACHINE, FLAT HEAD, RECESSED: POWER BOX MOUNTING TO FRAME, No. 10-32 UNF X 1/2 LG (96906) MS51960-65	EA		2	*	*	*	*	4	53
0 00308	5305-054-6670	SCREW, MACHINE, PAN HEAD: CONTROL BOX MTG PLATE TO HOUSING, No. 8-32 THD SIZE, 1/2 IN. LG (96906) MS51957-45	EA		2	*	*	*	*	8	15
0 00309	5305-059-3662	SCREW, MACHINE, PAN HEAD, RECESSED: CLAMP TO CONTROL BOX, No. 10-32 UNF X 7/8 LG (96906) MS51958-66	EA		1	*	*	*	*	4	22
0 00310	5310-809-8546	WASHER, FLAT: CLAMP TO CONTROL BOX, .218 ID X .437 OD X .049 (96906) MS27183-8	EA		2	*	*	*	*	4	43
0 00311	5310-082-1404	WASHER, FLAT: GROUND .156 ID X .375 OD X .049 (96906) MS27183-6	EA		2	*	*	*	*	3	7
0 00312	5310-889-2708	WASHER, LOCK: IET, GROUND, No. 6 SCREW (96906) MS45904-54	EA		1	*	*	*	*	3	6
0 00313	5310-058-2951	WASHER, LOCK, SPRING SPLIT: CLAMP TO CONTROL BOX, .194 ID X .040 (96906) MS35337-81	EA		1	*	*	*	*	4	44

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLU TRAT
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
00314		GROUP 52 - REFRIGERATION AND AIR CONDITIONING COMPONENTS								
00320		5217 - REFRIGERANT PIPING								
P 0 00391	5935-052-2931	COIL, SOLENOID VALVE (70255) X9600FR208-60-18	EA		1	*	*	2	2	5
00427		5241 - EVAPORATOR								
X20 00430		CAP, SEAL: EVAPORATOR DRAIN (99017) CAPLUGN09	EA		1					7
X20 00431	4730-542-3019	CLAMP, HOSE: CONDENSATE DRAIN HOSE (96906) MS35842-1	EA		4					7
X20 00433		CONNECTOR, DRAIN: CONDENSATE (66935) 360-00333C900	EA		1					7
X20 00434		NUT, SELF-LOCKING PLATE: DRAIN CONNECTION TO PANEL MOUNTING, NO. 10-32 UNF (03680) SPS13605-02	EA		1					7
0 00437	5320-117-6939	RIVET, COUNTERSUNK HEAD SOLID: NUT PLATE CHAIN CONNECTION, 3/32 DIA X 5/16 LG (96906) MS20426AD3-5	EA		2	*	*	*	*	7
0 00438	5305-071-1324	SCREW, MACHINE, FLAT HEAD, RECESSED: DRAIN BRACKET TO FRAME MOUNTING, NO. 10-32 THD X 3/4 IN. LG (96906) MS51960-67	EA		2	*	*	*	*	7
M 0 00442		TUBE, RUBBER: CONDENSATE DRAIN (66935) 060-00407-900 MANUFACTURE FROM:	EA		1					7
P 0 00443	4720-235-1777	TUBE, RUBBER: 1/2 IN. ID, 1/4 IN. WALL THK (48 IN. REQUIRED)	FT			SEE GRP 950				

(1) SMR CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION	
						(7)					
						(a)	(b)	(c)	(d)		
		REFERENCE NO. & MFR. CODE	USABLE ON CODE			1-5	6-20	21-50	51-100		
X20 00444		TUBE, RUBBER: CONDENSATE DRAIN (66935) 060-00408-900 MANUFACTURE FROM:	EA		1					7	28
P O 00445	4720-235-1777	TUBE, RUBBER: 1/2 IN. ID, 1/4 IN. WALL THK (18 IN. REQUIRED)	FT			SEE GRP 950					
00446		5243 - BLOWER ASSEMBLY									
X20 00448		BRACKET, HOUSING EVAPORATOR BLOWER: HOUSING TO FRAME (66935) 060-00342B900	EA	4						9	5
X20 00452		HOUSING, BLOWER EVAPORATOR (66935) 360-003080900	EA	2						9	3
X20 00453		NUT, SELF-LOCKING PLATE: RING TO HOUSING AND HOUSING TO FRAME, No. 10-32 UNF (03680) SPS13605-02	EA	24						9	4
0 00454	5320-761-3134	RIVET, BLIND, FLUSH: PLATE NUTS TO HOUSING, .094 DIA X .328 LG (96906) MS20605AD3W4	EA	48		*	*	*	*	9	12
0 00457	5310-061-7326	NUT, SELF-LOCKING HEXAGON: BRACKET TO HOUSING, No. 10-32 UNF (96906) MS21045-3	EA	8		*	*	*	*	9	8
X20 00459		RING, INLET, EVAPORATOR BLOWER HOUSING (66935) 00838C900	EA	4						9	2
0 00461	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: RING TO HOUSING, No. 10-32 UNF X 1/4 LG (96906) MS51958-63	EA	24		*	*	*	*	9	1
X20 00464		WHEEL, FAN, EVAPORATOR: CLOCKWISE (60399) 6100314CWSTEEL	EA	1						9	6
X20 00465		WHEEL, FAN EVAPORATOR: COUNTERCLOCKWISE (60399) 6100314CCWSTEEL	EA	1						9	9
X20 00467		WHEEL, FAN, CONDENSER: CLOCKWISE (60399) LED616-400-305-1CWSTEEL	EA	1						8	13

(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15 DAY ORGANIZATIONAL MAINTENANCE				(8) ILLUS- TRATION	
					(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG NO	(b) ITEM NO.
5305-013-9043	WHEEL, FAN, CONDENSER: COUNTERCLOCKWISE (60399) LED81C-400-305-1CCWSTEEL	EA		1					8	3
	SETSCREW: CONDENSER FAN WHEEL 5/16-24 THD X 3/8 IN. LG	EA		2					8	4
	BRACKET, MOUNTING: DAMPER CONTROL (66935) 360-00393C900	EA		2					10	18
	NUT, SELF-LOCKING PLATE: MOUNTING ON BRACKET, No. 10-32 UNF (03680) SPS13605-02	EA		6					10	16
5320-761-3134	RIVET, BLIND, FLUSH: PLATE NUT TO BRACKET, .094 DIA X .328 LG (96906) MS20605AD3W4	EA		12	*	*	*	*	10	20
	CLAMP, TUBE: CONTROL CABLE (96906) MS21322-34	EA		6					10	5
5430-901-1320	CONTROL, DAMPER, REMOTE REGULATOR (70436) 270-032-575	EA		2					10	15
	CABLE, ASSEMBLY CONTROL: REMOTE CONTROL TO DAMPER, 38 LG (70436) 026-14599C900	EA		2					10	6
	DAMPER ASSEMBLY: LEFT SIDE (66935) 360-003920900	EA		1						
	BAR, DAMPER: 1.00E (66935) 060-00319C900	EA		1					10	23
	GASKET, RUBBER: BLADRS (66935) 060-00424-900	EA		6					10	12
	GASKET, RUBBER: PAD STOP (66935) 060-00433-900	EA		1					10	21
5320-855-1316	GASKET, RUBBER: PAD STOP (66935) 028-07869A900	EA		1					10	22
	PIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158	EA		6	*	*	*	*	10	7

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
0 00482	5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY, .125 ID X .312 OD X .032 (96906) MS15795-804	EA		18	*	*	*	*	10
X20 00483		DAMPER ASSEMBLY: RIGHT SIDE (66935) 360-00391D900	EA		1					
X20 00484		BAR, DAMPER: SIDE (66935) 060-00319C900	EA		1					10
X20 00485		GASKET, RUBBER: BLADES (66935) 060-00424-900	EA		6					10
X20 00486		GASKET, RUBBER: PAD STOP (66935) 028-07869A900	EA		1					10
X20 00487		GASKET, RUBBER: PAD STOP (66935) 060-00433-900	EA		1					10
0 00488	5320-855-1316	RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158	EA		6	*	*	*	*	10
0 00489	5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY, .125 ID X .312 OD X .032 (96906) MS15795-804	EA		18	*	*	*	*	10
X20 00490		DAMPER ASSEMBLY: RIGHT REAR (66935) 360-003890900	EA		1					
X20 00491		BAR, DAMPER: REAR (66935) 060-00320C900	EA		1					10
X20 00492		GASKET, RUBBER: PAD STOP (66935) 060-00413-900	EA		1					10
X20 00493		GASKET, RUBBER: PAD STOP (66935) 060-00412-900	EA		1					10
X20 00494		GASKET, RUBBER: BLADES (66935) 060-00425-900	EA		6					10

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
0 00495	5320-855-1316	RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158	EA		6	*	*	*	*	10
0 00496	5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY, .125 ID X .032 (96906) MS15795-804	EA		18	*	*	*	*	10
X20 00497		DAMPER, ASSEMBLY: LEFT REAR (66935) 360-00390D900	EA	1						
X20 00498		BAR, DAMPER: REAR (66935) 060-00320C900	EA	1						
X20 00499		GASKET, RUBBER: PAD STOP (66935) 060-00413-900	EA	1						
X20 00500		GASKET, RUBBER: PAD STOP (66935) 060-00412-900	EA	1						
X20 00501		GASKET, RUBBER: BLADES (66935) 060-00425-900	EA	6						
0 00502	5320-855-1316	RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158	EA		6	*	*	*	*	10
0 00503	5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY .125 ID X .312 OD X .032 (96906) MS15795-804	EA		18	*	*	*	*	10
X20 00504	5355-538-7331	KNOB, POINTER: DAMPER CONTROL (96906) MS25166-1	EA	2						
0 00505	5310-061-7326	NUT, SELF-LOCKING HEXAGON: BRACKET, DAMPER AND CLAMP MTG., No. 10-32 THD (96906) MS21045-3	EA	22		*	*	*	*	10
0 00506	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: DAMPER TO FRAME AND CONTROL CABLE TO DAMPER ARM, No. 10-32 THD X 1/2 IN. LG (96906) MS51958-63	EA	10		*	*	*	*	10
0 00507	5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED: CABLE CLAMP TO LIFTING CABLE CLAMP, No. 10-32 UNF X 5/8 LG (96906) MS51958-63	EA	4		*	*	*	*	10

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE				(8) ILLUS- TRATION	
						(a) 1-5	(b) 6-70	(c) 21-50	(d) 51-100	(a) FIG NO.	(b) ITEM NO.
0 00508	5305-059-3661	SCREW, MACHINE, FLAT HEAD, RECESSED: DAMPER AND BRACKET TO FRAME MTG, No. 10-32 THD X 3/4 IN. LG (96906) MS51960-65	EA		2	*	*	*	*	10	17
0 00509	5305-071-1323	SCREW, MACHINE, FLAT HEAD, RECESSED: CABLE CLAMP TO FRAME, No. 10-32 UNF X 5/8 LG (96906) MS51960-66	EA		2	*	*	*	*	10	14
0 00510	5305-071-1324	SCREW, MACHINE, FLAT HEAD, RECESSED: DAMPER FRAME MOUNTING, No. 10-32 UNF X 3/4 LG (96906) MS51960-67	EA		2	*	*	*	*	10	10
0 00511	5310-514-6674	WASHER, LOCK, EXTERNAL TOOTH: CONTROL CABLE TO DAMPER ARM, FOR No. 10 SCREW (96906) MS35335-6	EA		4	*	*	*	*	10	28
00512		5244 - THERMOSTATIC CONTROLS									
P 0 00513	6685-997-9776	THERMOSTAT ASSEMBLY (40931) T473C1050	EA		1	*	*	*	2	4	60
0 00514	5305-619-4989	SCREW, MACHINE, SOCKET HEAD: THERMOSTAT COVER MTG No. 14-32 THD X 1/4 IN. LG	EA		6	*	*	*	*	4	62
X20 00515		NUT, SELF-LOCKING HEXAGON: THERMOSTAT TO CONTROL BOX, No. 6-32 UNC (96906) 021-13080-900	EA		3					4	41
X20 00516	5325-276-6100	GROMMET, RUBBER (96906) MS35489-14	EA		1					4	16
X20 00517		SCREW, MACHINE, PAN HEAD, RECESSED: THERMOSTAT TO CONTROL BOX, No. 6-32 UNC X 1 LG (96906) MS51958-34	EA		3					4	61
00518		5245 - AIR FILTERS									
P 0 00519	4130-983-5888	FILTER, AIR (01970) DMHA3556	EA		2	2	*	2	2	10	13

(1) MR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) REFERENCE NO. & MFR. CODE DESCRIPTION USABLE ON CODE		(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION	
							(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG NO.	(b) ITEM NO.
520		GROUP 95 - GENERAL USE FOR STANDARDIZED PARTS										
521		9501 - BULK MATERIAL										
522	5640-785-7888	INSULATION RUBBER: 1/2 IN. THK, 1/4 FT 8 IN. W, 7 FT LG		SH			*	*	*	*		
523	5640-914-6031	INSULATION, RUBBER: 1 IN. THK, 1/4 FT 8 IN. W, 7 FT LG		SH			*	*	*	*		
524	5970-899-7760	INSULATION TUBING		FT			*	*	*	*		
529	4720-235-1777	TUBE, RUBBER: 1/2 IN. ID, 1/4 IN. WALL THK		FT			*	*	*	*		

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) DS MAINT ALLOWANCE (a) 1-20 (b) 21-50 (c) 51-100	(8) 30-DAY GS MAINT. ALLOWANCE (a) (b) (c)	(9) L-YR ALW PER EQUIP CENTGCTY	(10) DEPOT MAINT ALW- PER EQUIP 100	(11) ILLUS- TRATION (a) FIG ITEI NO NO
		REFERENCE NO. & MFR. CODE	USABLE ON CODE							
		SECTION V - REPAIR PARTS FOR DS, GS, AND DEPOT MAINTENANCE								
		GROUP 15 - FRAME								
		1501 - FRAME ASSEMBLY								
F 00003		FRAME ASSEMBLY (66935) 360-003160900	EA	1						1 30
X2F 00004		ANGLE, REMOVABLE (66935) 360-003760900	EA	1						3 36
X2F 00005	5325-285-3373	FASTENER, SPRING LATCH: FRAME TO FILTER ACCESS PANEL AND MAINTENANCE PANEL (72794) S3-150	EA	3						3 5
X2F 00006	1670-180-5309	FITTING, TIE DOWN: LIFTING RING (88044) AN7516-1	EA	4						1 26
X2F 00007		NUT, SELF-LOCKING PLATE: MOUNTING COMPRESSOR TRAY TO FRAME, 5/16-24 UNF (03680) SPS13605-054	EA	8						1 22
X2F 00008		NUT, SELF-LOCKING PLATE: MOUNTING COMPRESSOR TRAY AND FRAME TO REMOVABLE ANGLE, 1/4-28 UNF (03680) SPS13605-048	EA	12						3 34
X2F 00009		NUT, SELF-LOCKING PLATE: FRAME TO EVAPORATOR MOTOR, 3/8-24 UNF (03680) SPS13605-064	EA	4						1 23
X2F 00010		NUT, SELF-LOCKING PLATE: FRAME TO REMOVABLE ANGLE, No. 10-32 UNF (03680) SPS13605-02	EA	8						3 29
X2F 00011		NUT, SELF-LOCKING PLATE: PANEL TO FRAME MTG SCREW (03680) SPS13605-02	EA	138						1 27
F 00012	5320-060-1180	RIVET, COUNTERSUNK HEAD, SOLID: FRAME TO REMOVABLE ANGLE, 3/32 DIA X 3/8 LG (96906) MS20427-3C6	EA	12	*	*	*	*	*	3 38

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT ALLOWANCE			(9) 1-YR ALW PER EQUIP (CATG. 1)	(10) DEPOT MAINT ALW PER EQUIP	(11) ILLUS- TRATION	
						(a) 1-20	(b) 21-50	(c) 51-100			(a) FIG NO	(b) FIG NO
F 00013	5320-117-6943	REFERENCE NO. & MFR. CODE RIVET, COUNTERSUNK HEAD, SOLID: PLATE NUT ATTACHING, 3/32 DIA X 9/16 LG (96906) MS204-26AD3-9	EA		60	*	*	*	*	*	2	42
F 00014	5320-761-3134	RIVET, BLIND, FLUSH: FRAME TO DAMPER, .094 DIA X .328 LG (96906) MS20605AD3W4	EA		4	*	*	*	*	*	1	15
F 00015	5320-584-0672	RIVET, COUNTERSUNK HEAD, SOLID: FRAME TO CONDENSER GUARD, 3/32 DIA X 3/8 LG (96906) MS20426AD3-6	EA		234	*	*	*	*	*	3	39
X2F 00016		RIVET, BLIND, FLUSH: FRAME TO FILTER ACCESS PANEL, .094 DIA (96906) MS20605MP3K3	EA		4						3	4
F 00017	5320-052-7997	RIVET, BLIND, FLUSH: FRAME TO MAINTENANCE PANEL, .094 DIA (96906) MS20605MP3K4	EA		2	*	*	*	*	*	3	33
F 00018	5320-117-6853	RIVET, UNIVERSAL HEAD, SOLID: LIFTING RING COVER, 3/16 DIA X 1/2 LG (96906) MS20470AD6-8	EA		24	*	*	*	*	*	1	20
F 00019	5320-957-1427	RIVET, BLIND, FLUSH: MOUNTING COMPRESSOR TRAY TO FRAME, 1/8 DIA X .544 LG (96906) MS20605AD4W7	EA		24	*	*	*	*	*	1	21
X2F 00020		RIVET, NUT, COUNTERSUNK: FRAME TO RIGHT SIDE PANEL, NO. 10-32 CLOSED END (03481) SST0XB216	EA		6						1	16
M F 00021		INSULATION, RUBBER: FRAME (66935) 060-00403C900 MANUFACTURE FROM:	EA		2						1	17
P F 00022	5640-785-7888	INSULATION, RUBBER (16 1/4 X 18 IN. REQUIRED)	FT			SEE \$RP 9501						
M F 00023		INSULATION RUBBER: FRAME (66935) 060-00402C900 MANUFACTURE FROM:	EA		1						1	19
P F 00024	5640-785-7888	INSULATION RUBBER (14 1/2 X 33 IN. REQUIRED)	FT			SEE \$RP 9501						

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT ALLOWANCE			(8) 30-DAY GS MAINT ALLOWANCE			(9) 1-YR ALW 100 EQUIP CNTGCTY	(10) DEPOT MAINT ALW- PER 100 EQUIP	(11) ILLUS- TRATION
						(a)	(b)	(c)	(a)	(b)	(c)			
M F 00025		INSULATION, RUBBER: FRAME (66935) 060-00214A900 MANUFACTURE FROM:	EA		2	1-20	21	50	1-20	21	50			1
P F 00026	5640-914-6091	INSULATION SHEET (15 X 41 IN. REQUIRED)	FT											
M F 00027		INSULATION, RUBBER: FRAME (66935) 060-00406-900 MANUFACTURE FROM:	EA		1									1
P F 00028	5640-914-6031	INSULATION SHEET (1 X 41 IN. REQUIRED)	FT											
M F 00029		INSULATION, RUBBER: FRAME (66935) 060-00906A900 MANUFACTURE FROM:	EA		1									1
P F 00030	5640-914-6031	INSULATION, RUBBER (14 3/8 X 41 IN. REQUIRED)	FT											
F 00031	5310-061-7326	NUT, SELF-LOCKING, HEXAGON: REMOVABLE PANEL, No. 10-32 UNF (96906) MS21045-3	EA		8	*	*	*	*	*	*	*	*	3
F 00032	5305-071-1324	SCREW, MACHINE, FLAT HEAD, RECESSED: FRAME TO REMOVABLE PANEL, No. 10-32 UNF X 3/4 LG (96906) MS51960-67	EA		2	*	*	*	*	*	*	*	*	3
F 00033	5306-638-7719	SCREW, CAP HEXAGON HEAD: FRAME TO MOUNTING COMPRESSOR TRAY, 5/16-24 UNF X 7/8 LG (96906) MS35308-333	EA		4	*	*	*	*	*	*	*	*	3
X2F 00034		TRAY, MOUNTING, COMPRESSOR (66935) 360-00314D900	EA		1									3
X2F 00035		NUT, SELF-LOCKING PLATE: FRAME TO MOUNTING COMPRESSOR TRAY, 5/16-24 UNF (03680) SPS13605-054	EA		2									1
X2F 00036		NUT, SELF-LOCKING PLATE: FRAME TO MOUNTING COMPRESSOR TRAY, 1/4-28 UNF (03680) SPS13605-048	EA		1									3

(1) SMR INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF MEASURE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY DS MAINT ALLOWANCE			(8) 30-DAY GS MAINT ALLOWANCE			(9) 1-YR ALW PER 1000 EQUIP CENTS	(10) DEPOT MAINT ALW - PER 1000 EQUIP	(11) ILLUS- TRATION
						(a)	(b)	(c)	(a)	(b)	(c)			
						1-20	21-50	51-100	1-20	21-50	51-100			FIG ITE NO.
X20 00051		GASKET, RUBBER: FRONT PANEL (66935) 060-00348A900	EA		2									2 24
X20 00052		GASKET, RUBBER: FRONT PANEL (66935) 060-00349A900	EA		1									2 23
X20 00053		GASKET, RUBBER: FRONT PANEL (66935) 060-00350A900	EA		2									2 33
X20 00054		GASKET, RUBBER: FRONT PANEL (66935) 060-00351A900	EA		6									2 29
X20 00055		GASKET, RUBBER: FRONT PANEL (66935) 060-00352A900	EA		3									2 28
X20 00056		GASKET, RUBBER: FRONT PANEL (66935) 060-00353A900	EA		2									2 20
X20 00057		GASKET, RUBBER: FRONT PANEL (66935) 060-00354A900	EA		4									2 19
X20 00058		GASKET, RUBBER: FRONT PANEL (66935) 060-00355A900	EA		1									2 31
X20 00059		GASKET, RUBBER: FRONT PANEL (66935) 060-00387A900	EA		1									2 14
M O 00060		INSULATION, RUBBER: FRONT PANEL (66935) 060-00599-900 MANUFACTURE FROM:	EA		1									2 13
P O 00061	5640-914-6031	INSULATION, RUBBER (1/4 X 8 3/4 IN. REQUIRED)	FT					SEE GRP 9501						
M O 00062		INSULATION, RUBBER: FRONT PANEL (66935) 060-00356A900 MANUFACTURE FROM:	EA		2									2 22
P O 00063	5640-914-6031	INSULATION, RUBBER (8 3/4 X 17 1/4 IN. REQUIRED FOR EACH)	FT					SEE GRP 9501						

(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY MAINT ALLOWANCE			(8) 30-DAY MAINT ALLOWANCE	(9) 1-YR ALW PER 1,000 HOURS ENTER	(10) DEPO MAINT ALW- PER 1,000 HOURS ENTER	(11) ILLUS- TRATION	
					(12) 30-DAY MAINT ALLOWANCE						(13) NO	(14) ITEM NO
					(a)	(b)	(c)					
5640-914-6031	INSULATION, RUBBER: FRONT PANEL (66935) 060-00358A900 MANUFACTURE FROM: INSULATION, RUBBER (12 1/4 X 13 3/4 IN. REQUIRED)	EA		1							2	27
5640-914-6031	INSULATION, RUBBER: FRONT PANEL (66935) 060-00358A900 MANUFACTURE FROM: INSULATION, RUBBER (12 1/4 X 13 3/4 IN. REQUIRED)	EA		1	SEE GRP 9501						2	34
5940-785-5888	INSULATION, RUBBER: FRONT PANEL (66935) 060-00357A900 MANUFACTURE FROM: RUBBER, SHEET (5 1/4 X 8 3/4 IN. REQUIRED)	EA		1	SEE GRP 9501						2	32
5320-761-3134	NUT, SELF-LOCKING PLATE: FRONT PANEL TO CONTROL PANEL, LEFT SIDE PANEL TO MAINTENANCE PANEL, No. 10-32 THD (03680) SPS13605-02 RIVET, BLIND, FLUSH: FRONT PANEL TO CONTROL PANEL, .094 DIA X .328 LG (96906) MS: 605AD3W4	EA		10	SEE GRP 9501						2	10
5320-761-3134	PANEL, LEFT SIDE (66935) 360-00380D900 FASTENER, SPRING LATCH: FRAME TO MAINTENANCE PANEL (72794) 13-150 GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00478B900 GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00480B900	EA		8	*	*	*	*	*	*	2	35
5325-285-3373		EA		1							2	8
		EA		4							2	11
		EA		1							2	18
		EA		1							2	43

(1) SHR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF ISSUE	(6) QTY INC IN UNIT PACK	(7) QTY INC IN UNIT	(8) 30 DAY PS MAINT ALLOWANCE			(9) 30 DAY GS MAINT ALLOWANCE			(10) DEPOT MAINT ALLOW- PER EQUIP 100	(11) ILLUS- TRATION
							(a)	(b)	(c)	(a)	(b)	(c)		
							1-20	21	50	51	100		FIG NO	
X20 00076		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00486A900		EA	1								2	4
X20 00077		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00481A900		EA	1								2	6
X20 00078		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00479A900		EA	1								2	9
X20 00079		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00482A900		EA	1									
X20 00080		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00487A900		EA	1								2	7
X20 00081		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00483A900		EA	1								2	39
M O 00082		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00484A900 MANUFACTURE FROM:		EA	1								2	17
P O 00083	5640-914-6031	INSULATION, RUBBER (8 1/2 X 13 9/16 REQUIRED)		FT		SEE GRP 9501								
M O 00084		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00485A900 MANUFACTURE FROM:		EA	1								2	41
P O 00085	5640-914-6031	INSULATION, RUBBER (10 3/16 X 16 7/8 IN. REQUIRED)		FT		SEE GRP 9501								
O 00086	5320-117-6939	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL TO MAINTENANCE PANEL, 3/32 DIA X 5/16 LG (96906) MS20426AD3-5		EA	8	*	*	*	*	*	*	*	2	12
O 00087	5320-117-6938	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL 3/32 DIA X 1/4 LG (96906) MS20426AD3-4		EA	6	*	*	*	*	*	*	*	2	44
O 00088	5320-584-0672	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL TO MAINTENANCE PANEL, 3/32 DIA X 3/8 LG (96906) MS20426AD3-6		EA	6	*	*	*	*	*	*	*	2	16

(1) SMR INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY DS MAINT ALLOWANCE			(8) 30-DAY GS MAINT ALLOWANCE			(9) 1-YR ALW PER 100 EQUIP CENTOY	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUS- TRATION
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			
X20 00128		INSULATION, RUBBER; MAINTENANCE PANEL (66935) 060-00330-900	EA	1										3
X20 00129		SCREEN, FRESH AIR (66935) 360-00388-900	EA	2										10
0 00130	5305-054-6650	SCREW, MACHINE, PAN HEAD, RECESSED; LIFTING RING COVER TO TOP PANEL, No. 6-32 UNC X 1/24 LG (96906) MS51957-26	EA	4		*	*	*	*	*	*	*	*	1
0 00131	5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED; LIFTING RING COVER TO PANEL, 1/2 No. 10-32 UNF X 1/2 LG (96906) MS51958-64	EA	4		*	*	*	*	*	*	*	*	1
0 00132	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED; FRAME TO TOP PANEL, No. 10-32 UNF X 3/4 LG (96906) MS51958-65	EA	31		*	*	*	*	*	*	*	*	1
0 00133	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED; EVAPORATOR FAN OUTLET GUARD TO FRONT PANEL, LEFT SIDE PANEL AND MAINTENANCE PANEL MOUNTING, No. 10-32 THD X 3/4 IN. LG (96906) MS51958-65	EA	39		*	*	*	*	*	*	*	*	2
0 00134	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED; FRAME TO RIGHT SIDE PANEL; CONDENSER GUARD AND FILTER DOOR MOUNTING, No. 10-32 THD X 3/4 IN. LG (96906) MS51958-65	EA	49		*	*	*	*	*	*	*	*	3
0 00135	5305-059-3671	SCREW, MACHINE, PAN HEAD, RECESSED; CONDENSER GUARD TO FRAME, BOTTOM 1/4-28 THD X 3/4 IN. LG (96906) MS51958-81	EA	2		*	*	*	*	*	*	*	*	3
00136		GROUP 22 - MISCELLANEOUS BODY, CHASSIS OR HULL AND ACCESSORY ITEMS												
00137		2207 - WINTERIZATION EQUIPMENT												
P 0 00138	4130-087-4566	HEATER, COMPRESSOR CRANKCASE (10855) HT32AZ223	EA	1	*	2	2	*	*	2	2	24	20	7
X20 00139		SPRING, HEATER, COMPRESSOR (10855) 6A20-1461	EA	1										7

SWR CODE INDEX NO.	FEDERAL STOCK NUMBER	DESCRIPTION	REFERENCE NO. & MFR. CODE	USABLE ON CODE	UNIT OF MEASURE	QTY INC IN UNIT PACK	QTY INC IN UNIT	INS MAINI ALLOWANCE				US MAINI ALLOWANCE				1-YR PER 100 EQUIP CENTG	DEPOT MAINT ALW-- EQUIP 100	FIG NO	ITEM NO
								(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)				
								1	20	21	50	41	100	1	20	21	50	51-100	
		GROUP 40 - GENERATOR AND ROTATING EXCITER ASSEMBLIES																	
		4000 - MOTOR ASSEMBLY																	
		BEARING, BALL: CONDENSER MOTOR (03510) 73A500AC4			EA	2	2	*	4	4	*	4	4	4	42	35			
		BEARING, BALL: EVAPORATOR MOTOR (03510) 113A617AAP1			EA	2	2	*	4	4	*	4	4	4	42	35			
		BOX, CONDUIT: CONDENSER MOTOR (03510) 1534B278BK1			EA	1	1												
		COVER, TERMINAL BOX: EVAPORATOR MOTOR (03510) 114A809AF2			EA	1	1												
		MOTOR, BLOWER, EVAPORATOR: 1/3 HP (66935) 060-00621C900 (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAMEPLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER REPAIR PARTS OR MOTOR)			EA	1	1	*	2	2	*	2	2	2	14	10	9	10	
		MOTOR, BLOWER CONDENSER: 1 1/2 HP (68422) 5K182HCH580T (ELECTRIC MOTORS AND REPAIRS PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAMEPLATE DATA MUST BE SHOWN ON REQUISITION TO INSURE SUPPLY OF PROPER REPAIR PARTS OR MOTOR)			EA	1	1	*	2	2	*	2	2	2	14	10	8	11	
		SCREW, CAP, HEXAGON HEAD: EVAPORATOR MOTOR MTG 5/16-24 UNF X 7/8 LG (96906) MS35308-333			EA	4	4	*	*	*	*	*	*	*	*	*	9	11	
		SCREW, CAP, HEXAGON HEAD: CONDENSER MOTOR MTG 3/8-24 THD X 1 3/8 IN. LG (96906) MS35308-363			EA	4	4	*	*	*	*	*	*	*	*	*	8	12	
		SHIELD, END: EVAPORATOR MOTOR (03510) 114D813ABP4			EA	1	1												
		SHIELD, END: EVAPORATOR MOTOR (03510) 114D807AAP3			EA	1	1												

(1) SNP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT ALLOWANCE		(8) 30-DAY MAINT ALLOWANCE		(9) 1-YR ALW FOR EQUIP CATEG	(10) DEPOT MAINT ALW PER 100 EQUIP	(11) ILLUS- TRATION	
						(a)	(b)	(a)	(b)			(a)	(b)
		REFERENCE NO. & MFR. CODE	USABLE ON CODE			1-20	21-50	1-20	21-50			FIG NO.	IT NO.
00192		4009 - CONTROL PANELS, HOUSING, CUBICLES											
X20 00193		CONTROL BOX, PANEL ASSEMBLY (66935) 360-003460900	EA		1								
X20 00194		ADAPTER, ELECTRIC CONNECTION (66935) 023-091058900	EA		1								
X20 00195		BOX, CONTROL PANEL (66935) 360-004380900	EA		1								
X20 00196		CHAIN, BEAD: WITH PLUG (66935) 360-003758900	EA		1								
X20 00197		FASTENER: READ CHAIN FOR 1/8 CHAIN	EA		2								
X20 00198		CHAIN, BEAD: 3 IN. LG (66935) 060-00377-900	EA		1								
X20 00199		PLUG, DOT: 1 IN. OD (66935) 060-00620A900	EA		1								
0 00200	5320-117-6826	RIVET, UNIVERSAL HEAD SOLID: CHAIN TO CONTROL BOX WALL, AND PLUG 1/8 DIA X 1 1/4 LG (96906) MS20470AD4-4	EA		2	*	*	*	*	*	*		
X20 00201		COVER, CONTROL BOX PANEL (66935) 360-00395C900	EA		1								
X20 00202		GASKET, RUBBER: COVER (66935) 060-004318900	EA		1								
M O 00203		INSULATION, RUBBER (66935) 360-004328900 MANUFACTURE FROM:	EA		1								
P O 00204	5640-785-7888	INSULATION, RUBBER (6 3/4 X 5 1/2 IN. REQUIRED)	SH			SEE GRP 9501							
X20 00205		GASKET, RUBBER: CONTROL PANEL (66935) 060-006118900	EA		1								
M O 00206		INSULATION, RUBBER (66935) 060-006138900 MANUFACTURE FROM:	EA		2								

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) QTY INC IN UNIT PACK	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY DS MAINT ALLOWANCE			(8) 90 DAY G. MAINT ALLOWANCE			(9) 1-YR WARRANTY AT 100 % EQUIP PROTECTOR
						(a)	(b)	(c)	(d)	(e)	(f)	
P O 00207	5640-785-7888	INSULATION RUBBER (4 3/8 x 6 9/16 IN. REQUIRED FOR 1 EACH)			SH	1	20	21	50	51	100	1-100
M O 00208		INSULATION, RUBBER (66935) 060-00612B900 MANUFACTURE FROM:	1		EA							
P O 00209	5640-785-7888	INSULATION, RUBBER (4 3/8 x 8 7/8 IN. REQUIRED)			SH							
X20 00210		NUT, SELF-LOCKING PLATE: No. 10-32 UNF (03680) SPST3605-02	8		EA							
O 00211	5320-117-6939	RIVET, COUNTERSUNK HEAD, SOLID: 3/32 DIA X 5/16 LG (96906) MS20426A03-5	16		EA	*	*	*	*	*	*	*
O 00212	5310-061-7326	SCREW, MACHINE, PAN HEAD, RECESSED: COVER TO CONTROL PANEL, No. 10-32 UNF X 1/2 LG (96906) MS51958-63	8		EA	*	*	*	*	*	*	*
M O 00213		WIRE ASSEMBLY, ELECTRICAL (66935) 360-00274D971 MANUFACTURE FROM:	2		EA							
P O 00214	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900 (23 FT. REQUIRED)			EA							
X20 00215	5940-557-1627	TERMINAL, LUG: FOR No. 8 STUD (96906) MS25036-53	1		EA							
X20 00216	5330-079-7840	GASKET, RUBBER: 1 3/8 sq (96906) MS51007-6	1		EA							
O 00217	5310-982-5000	NUT, SELF-LOCKING HEXAGON: HARNESS TO COVER, No. 4-4 oz (96906) MS21045C04	4		EA	*	*	*	*	*	*	*
M O 00218		HARNESS, WIRING CONTROL BOX (66935) 360-00359C900 MANUFACTURE FROM:	1		EA							
X20 00219	5935-801-6617	CONNECTOR, PIN: CONTROL BOX MOUNTING (96906) MS3102R18-4P	1		EA							

(1) SMP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) QTY INC IN UNIT PACK	(5) QTY INC IN UNIT	(6) 30 DAY OS MAINT ALLOWANCE		(7) 30-DAY OS MAINT ALLOWANCE		(8) 1-YR MA ALW OS EQUIP CATEG ED
					(6) 1-20	(6) 21-50	(7) 1-20	(7) 21-50	
X20 00220		TWINE LACING: ELECTRIC HARNESS (66935) 025-14416-900		6					
M O 00221		INSULATION TUBING: 5/16 DIA NON RIGID (66935) 060-00495-900 MANUFACTURE FROM:	1						
P O 00222	5970-899-7760	INSULATION TUBING: 5/16 IN. DIA, NON RIGID (18 IN. REQUIRED)			SEE GRP 501				
P O 00223	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	6						
O 00224	5310-059-3677	SCREW, MACHINE, PAN HEAD, RECESSED: CONTROL BOX MOUNTING TO FRAME, No. 10-32 UNF X 3/4 LG (96906) MS51958-65	8		*	*	*	*	*
O 00225	5305-054-5651	SCREW, MACHINE, PAN HEAD, RECESSED: HARNESS TO COVER, No. 1/4 oz X 1/2 LG (96906) MS51957-17	4		*	*	*	*	*
00226		4011 - CIRCUIT BREAKERS, CUTOUPS, FUSE AND FUSE HOLDERS							
P O 00227	5925-068-3940	CIRCUIT, BREAKER (66935) 060-00497B900	1		*	2	*	2	21
X20 00228		SCREW: SHIELD MOUNTING CIRCUIT BREAKER (97539) HE1050A55	6						
X20 00229	5925-979-5856	SHIELD, CIRCUIT BREAKER (97539) 025HE1050A55	1						
00230		4012 - SWITCHES							
X20 00231	5355-855-6235	KNOB, POINTER, ROTARY SWITCH (96906) MS25165-1	1						

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN PACK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT ALLOWANCE (a) (b) (c)	(8) 30-DAY CS MAINT ALLOWANCE (a) (b) (c)	(9) 1-YR ALW PER EQUIP CATEGORY	(10) DEPT MAINT ALW- PER EQUIP	(11) ILLUS- TRATION (a) (b) ITEM NO
X20 00247	5940-204-9142	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-12	EA		15	1 20 21 50 51 100	1 20 21 50 70 71 50 151-100			
X20 00248	5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8	EA		30					
X20 00249	5940-534-0970	TERMINAL, LUG: CRIMP FOR No. 6 STUD (96906) MS25036-7	EA		6					
X20 00250		TWINE, LACING: ELECTRIC, HARNESS (66935) 025-14404-900	FT		15					
P O 00251	6145-578-7513	WIRE, ELECTRICAL: AN-10 600V TYPE I (66935) 025-14402-900	FT		6					
P O 00252	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT		19					
M O 00253		WIRE, ELECTRICAL: JUMPER (66935) 360-0027D923 MANUFACTURE FROM:	EA		1					
P O 00254	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT		25					
X20 00255	5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8	EA		1					
X20 00256	5940-534-0970	TERMINAL, LUG: CRIMP FOR No. 6 STUD (96906) MS25036-7	EA		1					
M O 00257		WIRE, ELECTRICAL: JUMPER (66935) 360-0027D924 MANUFACTURE FROM:	EA		1					
P O 00258	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT		25					
X20 00259	5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8	EA		2					
X20 00260	5940-534-0970	TERMINAL, LUG: CRIMP FOR No. 6 STUD (96906) MS25036-7	EA		1					

(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	REFERENCE NO. & MFR. CODE	(1) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY QS MAINT ALLOWANCE			(8) 30-DAY QS MAINT ALLOWANCE		(9) 1-YR ALW PER 100 EQUIP CENTG	(10) DEPOT MAINT ALW- PER 100 EQUIP	(11) ILLUS- TRATION	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50			(a) FIG NO.	(b) ITEM NO.
USABLE ON CODE														
6145-578-7515	WIRE, ELECTRICAL: DELAY SWITCH (66935) 360-00274D973 MANUFACTURE FROM: WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900		EA	1										
5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8 WIRE, ELECTRICAL: DELAY SWITCH (66935) 360-00274D974 MANUFACTURE FROM:		EA	1	67									
6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900		FT	92										
5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8 BOX, POWER, INPUT (66935) 360-00373C900		EA	1										
5320-761-3134	RIVET, BLIND, FLUSH: .094 DIA X .328 LG (96906) MS20605AD3W4 NUT, SELF-LOCKING PLATE: POWER BOX TO FRAME, PANEL TO POWER BOX, No. 10-32 UNF (03680) SPS13605-02		EA	10		*	*	*	*	*	*	*	4	50
5935-577-8589	CAP, DUST: ELECTRICAL RECEPTACLE (96906) MS25043-22C		EA	5									4	40
5935-847-0568	CONNECTOR, CONDUIT BOX: COMPRESSOR (96906) MS3102R2411P		EA	1									7	32
5340-929-3506	COVER, CONDUIT BOX: COMPRESSOR (10855) 76HC381-134		EA	1									7	17
5325-174-9008	CLAMP, TUBE: INSULATION TUBING (96906) MS21322-40 GROMMET, RUBBER: PROTECTS HARNESS THROUGH EVAPORATOR SECTION DECK, 1/2 ID X 1/2 OD 1/4 THK (96906) MS35489-15		EA	7									4	42

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT ALLOWANCE (a) (b) (c)	(8) 30-DAY GS MAINT ALLOWANCE (a) (b) (c)	(9) 1-YR MAINT PER EQUIP CATEGORY	(10) DEPOT MAINT PER EQUIP CATEGORY	(11) ILLUS- TRATION (a) (b) (c) FIG NO
M O 00275		HARNES, WIRING POWER DISTRIBUTOR (66935) 360-00275E900 MANUFACTURE FROM:	EA		1	1 20 21 50 51 100	1-20 21 50 51 100			4
X20 00276		CONNECTOR, PIN: JUNCTION BOX (96906) MS25183-32-6P	EA		1					4
X20 00277		CONNECTOR, SOCKET: COMPRESSOR (96906) MS25183-24-11S	EA		1					
X20 00278		CONNECTOR, SOCKET: CONTROL PANEL (96906) MS25183-18-4S	EA		1					4
X20 00279	5935-581-4193	CONNECTOR, SOCKET: EVAPORATOR AND CONDENSER FAN MOTOR (96906) MS25183-16S	EA		2					
X20 00280	5935-559-1782	CONNECTOR, SOCKET: SOLENOID VALVE (96906) MS25183-12S3S	EA		1					
X20 00281		CONNECTOR, SOCKET: DUAL PRESSURE SWITCH (96906) MS25183-12S3SX	EA		1					
X20 00282		TWINE, LACING: ELECTRICAL HARNES (AS REQUIRED) (66935) 025-14416-900	FT							
X20 00283		INSULATION, TUBING: JUNCTION BOX PIN CONNECTOR TO BRANCH, 7/8 DIA (66935) 060-00496-900	EA		1					
P O 00284	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (9 FT REQUIRED) (66935) 025-14404-900	FT							
P O 00285	6145-578-7513	WIRE, ELECTRICAL: AN-10 600V TYPE I (66935) 025-14402-900 (19 FT REQUIRED)	FT							
M O 00286		HARNES, WIRING: POWER INPUT BOX (66945) 360-00325D900 MANUFACTURE FROM:	EA		1					
X20 00287		CONNECTOR, PIN: BOX MOUNTING (96906) MS3103-22-22P	EA		1					4

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY PS MAINT ALLOWANCE			(8) 30 DAY C MAINT ALLOWANCE			(9) 1-YR ALW PER 100 EQUIP CENTU	(10) DEPOT MAINT ALW- PER 100 EQUIP	(11) ILLUS- TRATION		
						(a) 1	(b) 20	(c) 21	(a) 1	(b) 20	(c) 21					
		REFERENCE NO. & MFR. CODE	USABLE ON CODE			1	20	21	50	51	100					
X20 00288		CONNECTOR, SOCKET (96906) MS25183-22-22S	EA		1											49
X20 00289		STRAP, CABLE (59730) TANDBTY25	EA		4											48
P O 00290	6145-284-0657	WIRE, ELECTRICAL: AN-8 600V TYPE II (66935) 025-14401-900	FT													47
M O 00291		HARNESS, WIRING: POWER INPUT JUNCTION BOX (66935) 360-00336C900 MANUFACTURE FROM:	EA		1											
X20 00292	5935-804-5816	CONNECTOR, PIN, RECEPTACLE: BOX MOUNTING (96906) MS3102R22-22P	EA		1											14
P O 00293	6145-284-0657	WIRE, ELECTRICAL: AN-8 600V TYPE II (18 IN. REQUIRED) (66935) 025-14401-900	FT		4											
X20 00294	5940-557-1631	TERMINAL, LUG: CRIMP FOR No. 10 STD (96906) MS25036-15	EA													
O 00295	5310-889-2549	NUT, SELF-LOCKING HEXAGON: WIRING HARNESS AND TERMINAL BOARD TO JUNCTION BOX, No. 8-32 UNC (96906) MS21045-08	EA		6	*	*	*	*	*	*	*	*	*	*	6
F 00296	5310-061-7326	NUT, SELF-LOCKING HEXAGON: JUNCTION BOX PLATE TO FRAME AND HOUSING, No. 10-32 UNF (96906) MS21045-3	EA		4	*	*	*	*	*	*	*	*	*	*	6
O 00297	5310-982-5000	NUT, SELF-LOCKING HEXAGON: HARNESS TO POWER BOX, No. 4-40 UNC (96906) MS21045C04	EA		4	*	*	*	*	*	*	*	*	*	*	36
O 00298	5310-982-5000	NUT, SELF-LOCKING HEXAGON: GROUND No. 4-40 THD (96906) MS21045C04	EA		2	*	*	*	*	*	*	*	*	*	*	8
O 00299	5310-042-6903	NUT, HEXAGON: CLAMP TO CONTROL BOX, No. 10-32 UNF (96906) MS35650-102	EA		2	*	*	*	*	*	*	*	*	*	*	45
X2F 00300		PLATE, MOUNTING JUNCTION BOX (66935) 360-00372D900	EA		1											17

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF ISSUE	(6) QTY INC IN UNIT PACK	(7) QTY INC IN UNIT	(8) 30 DAY MAINT ALLOWANCE	(9) 30-DAY MAINT ALLOWANCE	(10) 1-YR ALW PER 100 EQUIP CENTG	(11) DEPOT MAINT ALW PER 100 EQUIP	(12) ILLUS TRATIC NO
X2F 00301		NUT, SELF-LOCKING PLATE: PLATE TO JUNCTION BOX, No. 10-32 UNF (03680) SPS13605-02		EA	2						8
F 00302	5320-244-3469	RIVET, COUNTERSUNK HEAD, SOLID: PLATE TO JUNCTION BOX, 3/32 DIA X 1 1/4 LG (96906) MS20427-3C4		EA	4	*	*	*	*	*	8
O 00303	5305-054-6672	SCREW, MACHINE, PAN HEAD, RECESSED: TERMINAL BOARD AND WIRING HARNESS TO JUNCTION BOX, No. 8-32 UNC X 3/4 LG (96906) MS51957-47		EA	6	*	*	*	*	*	4
O 00304	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: PLATE TO JUNCTION No. 10-32 UNF X 1 1/2 LG (96906) MS51958-63		EA	2	*	*	*	*	*	8
O 00305	5305-054-5651	SCREW, MACHINE. PAN HEAD, RECESSED: GROUND No. 4-40 UNC X 1/2 LG (96906) MS51957-17		EA	1	*	*	*	*	*	3
O 00306	5305-071-1322	SCREW, MACHINE, FLAT HEAD, RECESSED: POWER BOX MOUNTING TO FRAME, No. 10-32 UNF X 1/2 LG (96906) MS51960-65		EA	2	*	*	*	*	*	4
F 00307	5320-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED: JUNCTION BOX PLATE TO FRAME AND HOUSING, No. 10-32 UNF X 5/8 LG (96906) MS51958-64		EA	4	*	*	*	*	*	8
O 00308	5305-054-6670	SCREW, MACHINE, PAN HEAD: CONTROL BOX MTG PLATE TO HOUSING, No. 8-32 THD SIZE, 1/2 IN. LG (96906) MS51957-45		EA	2	*	*	*	*	*	8
O 00309	5305-059-3662	SCREW, MACHINE, PAN HEAD, RECESSED: CLAMP TO CONTROL BOX, No. 10-32 UNF X 7/8 LG (96906) MS51958-66		EA	1	*	*	*	*	*	4
O 00310	5310-809-8546	WASHER, FLAT: CLAMP TO CONTROL BOX, .218 ID X .437 OD X .049 (96906) MS27183-8		EA	2	*	*	*	*	*	4
O 00311	5310-082-1404	WASHER, FLAT: GROUND .156 ID X .375 OD X .049 (96906) MS27183-6		EA	2	*	*	*	*	*	3

(1) SMP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE USABLE ON CODE	(4) QTY INC IN UNIT PACK	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY DS MAINT ALLOWANCE			(8) 30-DAY GS MAINT ALLOWANCE			(9) 1-YR ALW 100 EQUIP CENTG	(10) DEPOT MAINT ALW - PER 100 EQUIP	(11) ILLUS- TRATION
						(a)	(b)	(c)	(a)	(b)	(c)			
						1-20	21-50	51-100	1-20	21-50	51-100			(a) FIG NO.
0 00312	5310-889-2708	WASHER, LOCK: 1ET, GROUND, No. 6 SCREW (96906) MS45904-54	1		EA	*	*	*	*	*	*	*	*	3
0 00313	5310-058-2951	WASHER, LOCK, SPRING SPLIT: CLAMP TO CONTROL BOX, .194 10 X .040 (96906) MS35337-81	1		EA	*	*	*	*	*	*	*	*	4
00314		GROUP 52 - REFRIGERATION AND AIR CONDITIONING COMPONENTS												
00315		5200 - GAS COMPRESSOR ASSEMBLY												
P F 00316	4130-981-8518	COMPRESSOR, ASSEMBLY, GAS: WITH CONDUIT BOX (10855) 6A38M109	1		EA	*	2	2	*	2	2	14	10	7
F 00317	5310-823-8835	NUT, SELF-LOCKING: COMPRESSOR MOUNTING TO TRAY, HEXAGON 5/16-24 UNF (96906) MS21045C5	4		EA	*	*	*	*	*	*	*	*	7
F 00318	5305-880-3358	SCREW, MACHINE FLAT HEAD, RECESSED: COMPRESSOR MTG TO TRAY 5/16 THD X 1 IN. LG (96906) MS51960-101	4		EA	*	*	*	*	*	*	*	*	7
X2F 00319		WASHER, SHOULDER: COMPRESSOR MOUNTING TO TRAY, 1 IN. OD X 11/32 10 X 1/4 (66935) 060-004098900	4		EA	*	*	*	*	*	*	*	*	7
00320		5217 - REFRIGERANT PIPING												23
X2F 00321		ADAPTER, FLARE: 1/4 MALE FLARE X 1/4 FEMALE SOLDER JOINT (96906) MS35919-2-2	2		EA									19
X2F 00322		CLAMP: CUSHIONED FOR 1/4 OD TUBE (96906) MS21322-34	1		EA									29
X2F 00323	5340-898-2083	CLAMP, LOOP: TUBE TO FRAME MOUNTING (96906) MS21322-38	1		EA									4
X2F 00324	5340-929-3506	CLAMP, LOOP: TUBE MTG (96906) MS21322-40	8		EA									18

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF ISSUE	(6) QTY INC IN UNIT PACK	(7) QTY INC IN UNIT	(8) 30 DAY PS MAINT ALLOWANCE			(9) 1-YR ALW PER 100 EQUIP ENTGCT	(10) DEPOT MAINT ALW- PER 100 EQUIP LOUUP	(11) ILLUS- TRATION	
							(a) (1-20)	(b) (21-40)	(c) (51-100)			(a) FIG NO	(b) ITEM NO
2F 0325	5340-995-0566	CLAMP, TUBE: SUCTION REGULATING VALVE TO FRAME (96906) MS21322-42	EA	2			1-20	21-40	51-100			6	25
2F 0326	4730-254-6450	ELBOW, SOLDER JOINT: DISCHARGE LINE (96906) MS35917-5	EA	3								5	3
2F 0327	4730-254-6447	ELBOW, SOLDER JOINT: SUCTION LINE (96906) MS35917-7	EA	5								5	1
2F 0328	4730-022-1334	ELBOW, SOLDER JOINT, STREET: SOLENOID VALVE TO EXPANSION VALVE (96906) MS35928-4	EA	1								5	25
2F 0329		ELBOW, SOLDER JOINT, STREET: BY-PASS LINE (96906) MS35928-50	EA	1								5	11
2F 0330	4730-027-0773	ELBOW, SOLDER JOINT, STREET: SUCTION LINE (96906) MS35928-7	EA	1								5	6
2F 0331		ELBOW, SOLDER JOINT, STREET: BY-PASS LINE 5/8 MALE X 5/8 FEMALE X 90 DEGREES (96906) MS35928-5	EA	2								5	10
2F 0332	5325-270-8890	GROMMET, NEOPREME: TUBE THROUGH FRAME (96906) MS35489-22	EA	1								5	12
2F 0333	5325-276-6100	GROMMET, RUBBER: TUBE THROUGH FRAME (96906) MS35489-14	EA	1								5	15
2F 0334		INSULATION, RUBBER: EVAPORATOR AND COMPRESSOR SUCTION 1/4 X 5 X 5 (66935) 060-00615-900	EA	2									
F 0335		NIPPLE: 5/8 OD X .040 WALL X 3 IN. LG MANUFACTURE FROM:	EA	2								5	5
F 0336	4710-277-5530	TUBE, COPPER (3 IN. REQUIRED)	FT				SEE GRP 9501						
F 0337		NIPPLE: 7/8 IN. OD X .045 WALL X 1 IN. LG MANUFACTURE FROM:	EA	2								5	8
F 0338	4710-277-5532	TUBE, COPPER (1 IN. REQUIRED)	FT				SEE GRP 9501						

(1) FEDERAL STOCK INDEX NO.	(2)	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF ISSUE	(6) QTY INC IN UNIT PACK	(7) 30 DAY DS MAINT ALLOWANCE	(8) 30-DAY GS MAINT ALLOWANCE	(9) 1-YR ALW PER EQUIP CATEGORY	(10) DEPT MAINT ALW- PER EQUIP 100	(11) ILLUS- TRATION
						(a) 1-20	(b) 21-50	(c) 51-100		
						(a) 1-20	(b) 21-50	(c) 51-100		
F 00339	5310-061-7326	NUT, SELF-LOCKING HEXAGON: CLAMP TO FRAME, No. 10-32 THD (96906) MS21045-3	EA	10	*	*	*	*	*	6
F 00340	5310-889-2549	NUT, SELF-LOCKING HEXAGON: STRAP MOUNTING VALVE TO FRAME, No. 8-32 UNC (96906) MS21045-08	EA	2	*	*	*	*	*	5
F 00341	5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED: SUCTION REGULATING VALVE AND CLAMP MTG. No. 10-32 THD X 5/8 IN. LG (96906) MS51958-64	EA	10	*	*	*	*	*	5
F 00342	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: SOLENOID VALVE AND CLAMP MTG. No. 10-32 THD X 1/2 IN. LG (96906) MS51958-63	EA	4	*	*	*	*	*	5
F 00343	5305-054-6670	SCREW, MACHINE, PAN HEAD, RECESSED: STRAP MOUNTING VALVE TO FRAME, No. 8-32 UNC X 1/2 LG (96906) MS51957-45	EA	2	*	*	*	*	*	5
F 00344	5305-059-3677	SCREW, MACHINE, PAN HEAD, RECESSED: STOP VALVE TO FRAME, No. 10-32 UNF X 3/4 LG (96906) MS51958-65	EA	4	*	*	*	*	*	6
P F 00345	6680-778-3914	SIGHT GLASS: LIQUID, 1/2 ID FEMALE CONNECTORS (78462) SA14S	EA	1	*	2	2	2	14	6
X2F 00346		STRAP, TUBE: EXPANSION VALVE MTG (93736) 9263S	EA	1						5
X2F 00347	4730-263-6482	TEE, SOLDER JOINT: SUCTION LINE (41947) W4033	EA	1						5
X2F 00348		TEE, SOLDER JOINT: VALVE TO CONDENSER SUCTION LINE 5/8 FEMALE X 5/8 FEMALE X 5/8 FEMALE (96906) MS35929-5	EA	2						6
X2F 00349		TEE, SOLDER JOINT: SIGHT GLASS TO SOLENOID VALVE LINE 1/2 FEMALE X 1/2 FEMALE X 1/2 FEMALE (96906) MS35929-4	EA	1						6

(1) SAC CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF MEASURE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY DS MAINT ALLOWANCE			(8) 30-DAY GS MAINT ALLOWANCE			(9) 1-YR ALW PER EQUIP CATEGORY	(10) DEPOT MAINT ALW- PER EQUIP 100	(11) ILLUS- TRATION
						(a)	(b)	(c)	(a)	(b)	(c)			
M F 00350		TUBE: REGULATING VALVE TO TEE MANUFACTURE FROM:	EA		1	1-20	(1)	50	1-20	(1)	50			6
P F 00351	4710-059-5900	TUBE, COPPER (9 IN. REQUIRED)	FT			SEE GRP 9501								
M F 00352		TUBE: HYDRATOR TEE TO SOLENOID VALVE (66935) 060-00306D900 MANUFACTURE FROM:	EA		1									6
P F 00353	4710-059-5900	TUBE, COPPER (4 FT, 6 IN. REQUIRED)	FT			SEE GRP 9501								
M F 00354		TUBE: CONDENSER TO RECEIVER (66935) 060-00307D900 MANUFACTURE FROM:	EA		1									6
P F 00355	4710-277-7513	TUBE, COPPER (22 IN. REQUIRED)	FT			SEE GRP 9501								
M F 00356		TUBE: TEE TO BY-PASS LINE (66935) 060-00273C900 MANUFACTURE FROM:	EA		1									6
P F 00357	4710-277-5530	TUBE, COPPER (30 IN. REQUIRED)	FT			SEE GRP 9501								6
M F 00358		TUBE: EXPANSION VALVE TO TEE (66935) 060-00291C900 MANUFACTURE FROM:	EA		1									6
P F 00359	4710-277-5530	TUBE, COPPER (10 IN. REQUIRED)	FT			SEE GRP 9501								
M F 00360		TUBE: SIGHT GLASS TO TEE (66935) 060-00295C900 MANUFACTURE FROM:	EA		1									6
P F 00361	4710-059-5900	TUBE, COPPER (16 IN. REQUIRED)	FT			SEE GRP 9501								

[illegible]

(1) SAR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) USABLE ON CODE	(6) QTY INC IN UNIT PACK	(7) QTY INC IN UNIT	(8) 30 DAY MAINT ALLOWANCE	(9) 30-DAY GS MAINT ALLOWANCE	(10) 1 YR ALW PER 100 EQUIP COST	(11) DEPOT MAINT ALW - PER 100 EQUIP COST	(12) ILLUS- TRATION NO.
M F 00376		TUBE; SERVICE VALVE TO CONDENSER TUBE (66935) 060-00287B900 MANUFACTURE FROM:		EA		1					6
P F 00377	4710-203-3171	TUBE, COPPER (6 IN. REQUIRED)		FT			SEE GRP 9501				
M F 00378		TUBE; SERVICE VALVE TO SUCTION TUBE (66935) 060-00287B900 MANUFACTURE FROM:		EA		1					
P F 00379	4710-203-3171	TUBE, COPPER (18 IN. REQUIRED)		FT			SEE GRP 9501				
M F 00380		TUBE, EQUALIZING EXPANSION VALVE; EXPANSION VALVE TO SUCTION LINE (66935) 360-00297B900 MANUFACTURE FROM:		EA		1					5
X2F 00381	4730-189-2737	NUT, FLARE, REFRIGERANT: 1/4 OD TUBE (96906) MS35872-2		EA		1					5
M F 00382	4710-203-3171	TUBE: 1/4 OD X .030 WALL X 6/29-32 (66935) 060-00286-900 (9 IN. REQUIRED)		EA		1					
M F 00383		TUBE; DISCHARGE LINE TO CONDENSER COIL (66935) 007-05688-900 MANUFACTURE FROM:		FT		1					5
P F 00384	4710-277-5530	TUBE, COPPER (3 FT, 4 IN. REQUIRED)		FT			SEE GRP 9501				
M F 00385		TUBE; SUCTION LINE (66935) 007-05689-900 MANUFACTURE FROM:		FT		1					5
P F 00386	4710-277-5532	TUBE, COPPER (19 IN. REQUIRED)		FT			SEE GRP 9501				
X2F 00387		LAMP; SENSING BULB TO REFRIGERANT PIPE (83084) 2525		EA		4					5
P F 00388	4730-189-0417	VALVE, STOP (41947) A15791		EA		2	* 2 2	* 2 2	14	10	6

(1) SMP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION USABLE ON CODE	(4) QTY INC IN UNIT PACK	(5) QTY INC IN UNIT	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALLOWANCE			(8) 90 DAY MAINT. ALLOWANCE			(9) 1-YR ALLOW. EQUIP CATEGORY	(10) DEPOT MAINT. ALLOW. EQUIP CATEGORY	(11) ILLUS- TRATION
						(a) 1	(b) 20	(c) 50	(a) 1	(b) 20	(c) 50			
X2F 00417		NUT, SELF-LOCKING PLATE: PANEL TO LH CONDENSER COIL BRACKET, No. 32 UNF (03680) SPS13605-02	EA											7
F 00418	5310-061-7326	NUT, SELF-LOCKING HEXAGON: BRACKET TO FRAME, No. 10-32 UNF (96906) MS21045-3	EA			*	*	*	*	*	*	*	*	7
F 00419	5320-584-0672	RIVET, COUNTERSUNK HEAD SOLID: SELF-LOCKING PLATE TO LH BRACKET 3/32 DIA X 3/8 LG (96906) MS20426AD3-6	EA			*	*	*	*	*	*	*	*	7
F 00420	5305-071-1324	SCREW, MACHINE, FLAT HEAD, RECESSED: BRACKET TO FRAME, No. 10-32 UNF X 3/4 LG (96906) MS51960-67	EA			*	*	*	*	*	*	*	*	7
F 00421	5305-059-3677	SCREW, MACHINE, PAN HEAD, RECESSED: BRACKET TO FRAME, No. 10-32 UNF X 3/4 LG (96906) MS51958-65	EA			*	*	*	*	*	*	*	*	7
F 00422	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: BRACKET TO COIL, No. 10-32 UNF X 1/2 LG (96906) MS51958-63	EA			*	*	*	*	*	*	*	*	7
F 00423	5310-809-8546	WASHER, PLAIN, FLAT: BRACKET TO FRAME, .218 ID X .437 OD X .049 (96906) MSX27183-8	EA			*	*	*	*	*	*	*	*	7
00424		5235 - HYDRATING EQUIPMENT												
X2F 00425	4730-277-6200	CLAMP, HOSE: DEHYDRATOR (08484) QS200M56S	EA											
P F 00426	4130-792-6546	DEHYDRATOR (78462) C164S	EA			1	2	4	8	2	4	100	100	6
00427		5241 - EVAPORATOR												
X2F 00428		BRACKET, EVAPORATOR COIL, BOTTOM (66935) 060-003418900	EA			1								7


(1) SWM CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE USABLE ON CODE	(4) QTY INC IN UNIT PACK	(5) QTY INC UNIT	(6) QTY INC UNIT	(7) 30 DAY PS MAINT ALLOWANCE			(8) 30 DAY GS MAINT ALLOWANCE			(9) 1-YR MAINT PER 100 EQUIP CENTGY	(10) DEPOT TR MAINT PER 100 EQUIP NO
						(a)	(b)	(c)	(a)	(b)	(c)		
M O 00442		TUBE, RUBBER: CONDENSATE DRAIN (66935) 060-00407-900 MANUFACTURE FROM:			1	1-20	21	50	1-20	21	50		7
P O 00443	4720-235-1777	TUBE, RUBBER: 1/2 IN. ID, 1/4 IN. WALL THK (18 IN. REQUIRED)			1	SEE GRP 9501							7
X20 00444		TUBE, RUBBER: CONDENSATE DRAIN (66935) 060-00408-900 MANUFACTURE FROM:			1								7
P O 00445	4720-235-1777	TUBE, RUBBER: 1/2 IN. WALL THK (18 IN. REQUIRED)				SEE GRP 9501							7
00446		5243 - BLOWER ASSEMBLY											8
X2F 00447		BRACKET, HOUSING, CONDENSER BLOWER (66935) 060-00360C900			2								9
X20 00448		BRACKET, HOUSING EVAPORATOR BLOWER: HOUSING TO FRAME (66935) 060-00342B900			4								8
X2F 00449		HOUSING; BLOWER CONDENSER (66935) 360-00323D900			2								8
X2F 00450		NUT, SELF-LOCKING PLATE: INLET RING TO CONDENSER HOUSING HOUSING, No. 10-32 UNF (03680) SPS13605-02			20								8
F 00451	5320-761-3134	RIVET, BLIND, FLUSH: INLET RING TO CONDENSER HOUSING HOUSING, .094 DIA X .328 LG (96906) MS20605AD344			40	*	*	*	*	*	*	*	8
X20 00452		HOUSING, BLOWER EVAPORATOR (66935) 360-00308D900			2								9
X20 00453		NUT, SELF-LOCKING PLATE: RING TO HOUSING AND HOUSING TO FRAME, No. 10-32 UNF (03680) SPS13605-02			24								9
0 00454	5320-761-3134	RIVET, BLIND, FLUSH: PLATE NUTS TO HOUSING, .094 DIA X .328 LG (96906) MS20605AD344			48	*	*	*	*	*	*	*	9

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT ALLOWANCE	(8) 30-DAY MAINT ALLOWANCE	(9) 1-YR ALW PER EQUIP CENT	(10) DEPOT MAINT ALW- PER EQUIP 100	(11) ILLUS- TRATION
		REFERENCE NO. & MFR. CODE	USABLE ON CODE			(a)	(b)	(c)		
F 00455	5310-061-7326	NUT, SELF-LOCKING HEXAGON: BRACKET TO FRAME AND HOUSING, No. 10-32 UNF (96906) MS21045-3	EA		4	*	*	*	*	8
F 00456	5310-889-2549	NUT, SELF-LOCKING HEXAGON: CONDENSER HOUSING TO FRAME, No. 8-32 UNC (96906) MS21045-08	EA		8	*	*	*	*	8
O 00457	5310-061-7326	NUT, SELF-LOCKING HEXAGON: BRACKET TO HOUSING, No. 10-32 UNF (96906) MS21045-3	EA		8	*	*	*	*	9
X2F 00458		RING, INLET, CONDENSER BLOWER HOUSING (66935) 060-00839C900	EA		4					8
X2O 00459		RING, INLET, EVAPORATOR BLOWER HOUSING (66935) 00838C900	EA		4					9
F 00460	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: BRACKET TO FRAME, No. 10-32 UNF X 1/2 LG (96906) MS51958-63	EA		22	*	*	*	*	8
O 00461	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: RING TO HOUSING, No. 10-32 UNF X 1/4 LG (96906) MS51958-63	EA		24	*	*	*	*	9
F 00462	5305-071-1324	SCREW, MACHINE, FLAT HEAD, RECESSED: BRACKET TO HOUSING, No. 10-32 UNF X 3/4 LG (96906) MS51960-67	EA		2	*	*	*	*	8
F 00463	5305-054-6670	SCREW, MACHINE, PAN HEAD, RECESSED: CONDENSER HOUSING No. 8-32 UNC X 1/2 LG (96906) MS51957-45	EA		8	*	*	*	*	8
X2O 00464		WHEEL, FAN, EVAPORATOR: CLOCKWISE (60399) 6100314CWSTEEL	EA		1					9
X2O 00465		WHEEL, FAN EVAPORATOR: COUNTERCLOCKWISE (60399) 6100314CCWSTEEL	EA		1					9
X1 00466		SETSCREW: EVAPORATOR FAN WHEEL 1/4-28 THD X 1/4 IN. LG (00000) BCTXICF	EA		2					9
X2O 00467		WHEEL, FAN, CONDENSER: CLOCKWISE (60399) LED816-400-305-1CWSTEEL	EA		1					8

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR CODE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT ALLOWANCE				(8) 1 YR AT W 100 EQUIP NO	(9) DEPOT MAINT ALLOW. 100 EQUIP NO	(10) ILLUS- TRATION
						(a) 1	(b) 2	(c) 3	(d) 4			
			USABLE ON CODE			1	2	3	4	5	6	7
X20 00468		WHEEL, FAN, CONDENSER: COUNTERCLOCKWISE (60399) LED816-400-305-1CCWSTEEL		EA		1						8
X1 00469	5305-013-9043	SETSCREW: CONDENSER FAN WHEEL 5/16-24 THD X 3/8 IN. LG		EA	2							8
X20 00470		BRACKET, MOUNTING: DAMPER CONTROL (66935) 360-00393C900		EA	2							10
X20 00471		NUT, SELF-LOCKING PLATE: MOUNTING ON BRACKET, No. 10-32 UNF (03680) SPST13605-02		EA	6							10
0 00472	5320-761-3134	RIVET, BLIND, FLUSH: PLATE NUT TO BRACKET, .094 DIA X .328 LG (96906) MS20605AD3M4		EA	12	*	*	*	*	*	*	20
X20 00473	5330-901-1320	CLAMP, TUBE: CONTROL CABLE (96906) MS21322-34		EA	6							10
X20 00474		CONTROL, DAMPER, REMOTE REGULATOR (70436) 270-032-575		EA	2							10
X20 00475		CABLE, ASSEMBLY CONTROL: REMOTE CONTROL TO DAMPER, 38 LG (70436) 026-11599C900		EA	2							10
X20 00476		DAMPER ASSEMBLY: LEFT SIDE (66935) 360-00392D900		EA	1							23
X20 00477		BAR, DAMPER: SIDE (66935) 060-00319C900		EA	1							10
X20 00478		GASKET, RUBBER: BLADES (66935) 060-00424-900		EA	6							10
X20 00479		GASKET, RUBBER: PAD STOP (66935) 060-00433-900		EA	1							21
X20 00480		GASKET, RUBBER: PAD STOP (66935) 028-07869A900		EA	1							22
0 00481	5320-855-1316	RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158		EA	6	*	*	*	*	*	*	10

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION /	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY DS MAINT ALLOWANCE (a) 1 20 21 50 51 100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1 20 21 50 51 100	(9) L-YR ALW PER 100 EQUIP CENTG	(10) DEPOSIT MAINT ALLOW- ANCE PER 100 EQUIP	(11) ILLUS- TRATION
0 00482	5310-782-1349	REFERENCE NO. & MFR. CODE WASHER, FLAT: BAR AND DAMPER ASSEMBLY, .125 ID X .312 OD X .032 (96906) MS15795-804	EA	18	*	*	*	*	*	10
X20 00483		DAMPER ASSEMBLY: RIGHT SIDE (66935) 360-00391D900	EA	1						10
X20 00484		BAR, DAMPER: SIDE (66935) 060-00319C900	EA	1						10
X20 00485		GASKET, RUBBER: BLADES (66935) 060-00424-900	EA	6						10
X20 00486		GASKET, RUBBER: PAD STOP (66935) 028-07869A900	EA	1						10
X20 00487		GASKET, RUBBER: PAD STOP (66935) 060-00433-900	EA	1						10
0 00488	5320-855-1316	RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158	EA	6	*	*	*	*	*	10
0 00489	5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY, .125 ID X .312 OD X .032 (96906) MS15795-804	EA	18	*	*	*	*	*	10
X20 00490		DAMPER ASSEMBLY: RIGHT REAR (66935) 360-00389D900	EA	1						10
X20 00491		BAR, DAMPER: REAR (66935) 060-00320C900	EA	1						10
X20 00492		GASKET, RUBBER: PAD STOP (66935) 060-00413-900	EA	1						10
X20 00493		GASKET, RUBBER: PAD STOP (66935) 060-00412-900	EA	1						10
X20 00494		GASKET, RUBBER: BLADES (66935) 060-00425-900	EA	6						10
0 00495	5320-855-1316	RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158	EA	6	*	*	*	*	*	10


(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NO. & MFR. CODE	(4) UNIT OF MEASURE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY DS MAINT ALLOWANCE			(8) 3-DAY GS MAINT ALLOWANCE			(9) 1-YR ALW PER 100 EQUIP CENTAGE	(10) DEPOT MAINT ALW- PER 100 EQUIP	(11) ILLUS- TRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIG NO.	(b) ITEM NO.
5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY, .125 ID X .032 (96906) MS151795-804 DAMPER, ASSEMBLY: LEFT REAR (66935) 360-003900900 BAR, DAMPER: REAR (66935) 060-00320C900 GASKET, RUBBER: PAD STOP (66935) 060-00413-900 GASKET, RUBBER: PAD STOP (66935) 060-00412-900 GASKET, RUBBER: BLADES (66935) 060-00425-900 RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158 WASHER, FLAT: BAR AND DAMPER ASSEMBLY .125 ID X .312 OD X .032 (96906) MS151795-804 KNOB, POINTER: DAMPER CONTROL (96906) MS25166-1 NUT, SELF-LOCKING HEXAGON: BRACKET, DAMPER AND CLAMP MTG, No. 10-32 THD (96906) MS21045-3 SCREW, MACHINE, PAN HEAD, RECESSED: DAMPER TO FRAME AND CONTROL CABLE TO DAMPER ARM, No. 10-32 THD X 1/2 IN. LG (96906) MS51958-63 SCREW, MACHINE, PAN HEAD, RECESSED: CABLE CLAMP TO LIFTING RING CLAMP, No. 10-32 UNF X 5/8 LG (96906) MS51958-64 SCREW, MACHINE, FLAT HEAD, RECESSED: DAMPER AND BRACKET TO FRAME MTG, No. 10-32 THD X 3/4 IN. LG (96906) MS51960-65	EA EA EA EA EA EA EA EA EA EA EA EA EA EA EA EA EA EA EA EA EA	18 1 1 1 1 6 6 18 2 22 10 4 2	* * * * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * * * *	10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10	8 27 9 26 25 7 8 19 4 1 3 17						



1120-259-25P 1

Figure No. 1 Frame And Panel

ITEM NO.	FUNCT GROUP	ITEM NAME	ITEM NO.	FUNCT GROUP	ITEM NAME
	1801	SCREW	16	1501	RIVNUT
2	1801	RIVET	17	1501	INSULATION
3	1801	NUT	18	1501	INSULATION
	1801	COVER	19	1501	INSULATION
6	1801	SCREW	20	1501	INSULATION
	1801	SCREW	21	1501	RIVET
	2210	DECAL	22	1501	NUT
	1801	GASKET	23	1501	NUT
	1801	GASKET	24	2210	DECAL
0	1801	INSULATION	25	1501	INSULATION
1	1801	INSULATION	26	1501	FITTING
2	1801	GASKET	27	1501	NUT
3	1801	INSULATION	28	1501	RIVET
4	1801	PANEL	29	1801	NUT
5	1501	RIVET	30	1501	FRAME



ITEM NO.	FUNCT GROUP	ITEM NAME	ITEM NO.	FUNCT GROUP	ITEM NAME
1	1801	FASTENER	23	1801	GASKET
2	1801	FASTENER	24	1801	GASKET
3	1801	SCREW	25	1801	PANEL
3	4009	SCREW	26	2210	DECAL
4	1801	PANEL	27	1801	INSULATION
5	1801	STRIP	28	1801	GASKET
6	1801	GASKET	29	1801	GASKET
7	1801	GASKET	30	2210	DECAL
8	1801	PANEL	31	1801	GASKET
9	1801	GASKET	32	1801	INSULATION
10	1801	NUT	33	1801	GASKET
11	1801	FASTENER	34	1801	INSULATION
12	1801	RIVET	35	1801	RIVET
13	1801	GASKET	36	2210	NAMEPLATE
14	1801	GASKET	37	2210	DECAL
15	2210	DECAL	38	1801	GUARD
16	1801	RIVET	39	1801	GASKET
17	1801	GASKET	40	1801	GASKET
18	1801	GASKET	41	1801	INSULATION
19	1801	GASKET	42	1801	RIVET
20	1801	GASKET	43	1801	GASKET
21	2210	DECAL	44	1801	RIVET
22	1801	INSULATION			





Figure No. 3 Panels And Guard

LEGEND J) PARTS, FIGURE 3


ITEM NO.	FUNC GROUP	ITEM NAME	ITEM NO.	FUNC GROUP	ITEM NAME	ITEM NO.	FUNC GROUP	ITEM NAME
1	1301	GASKET	16	1301	GASKET	29	1801	NUT
2	2210	PLATE	17	1301	PANEL	30	1801	RIVET
3	2210	RIVET	18	1301	INSULATION	31	1801	TRAY
4	1501	FASTENER	19	1301	INSULATION	32	1801	SCREW
5	1501	FASTENER	20	1301	INSULATION	33	1801	RIVET
6	1801	WASHER	21	1801	GASKET	34	1801	NUT
7	1301	WASHER	22	1301	INSULATION	35	1801	GASKET
8	1801	NUT	23	1301	GASKET	36	1801	ANGLE
9	1801	PANEL	24	1801	GASKET	37	1901	SCREW
10	1301	FASTENER	25	1801	GASKET	38	1801	RIVET
11	1301	FASTENER	26	1801	GASKET	39	1801	RIVET
12	1801	SCREW	27	1801	RIVET	40	1801	SCREW
13	1301	GUARD	28	1801	INSULATION	41	1501	NUT
14	1801	SCREW	29	1501	NUT	42	1801	GASKET
15	1801	GASKET						



4120-259-25P

Figure No. 4 Control Box, Junction Box, Dual Pressure Switch

ITEM NO.	FUNC'T GROUP	ITEM NAME	ITEM NO.	FUNC'T GROUP	ITEM NAME	ITEM NO.	FUNC'T GROUP	ITEM NAME
1	4011	SCREW	25	4009	INSULATION	44	4018	WASHER
2	4011	SHIELD	26	4009	CONNECTOR	45	4018	NUT
3	4011	CIRCUIT BREAKR	27	4009	GASKET	46	4012	SWITCH
4	4018	BOX	28	4009	COVER	47	4018	WIRE
5	4006	CONTACTOR	29	4009	GASKET	48	4018	STRAP
6	4018	NUT	30	4103	CONNECTOR	49	4018	CONNECTOR
7	4018	GASKET	31	4009	SCREW	50	4103	BOX
8	4018	CONNECTOR	32	4006	SCREW	51	4018	RIVET
9	4013	CLAMP	33	4009	SCREW	52	4018	CAP
10	4108	CONNECTOR	34	4009	INSULATION	53	4018	SCREW
11	4006	NUT	35	4006	SWITCH	54	4009	RIVET
12	4012	NUT	36	4006	ADAPTER	55	4009	FASTENER
13	4018	CONNECTOR	37	4006	NUT	56	4009	CHAIN
14	4018	CONNECTOR	38	4009	NUT	57	4009	PLUG
15	4018	GASKET	39	4009	NUT	58	4012	NUT
16	5244	GROMMET	40	4018	SCREW	59	4012	KNOB
17	4108	SCREW	41	5244	CONNECTOR	60	5244	THERMOSTAT
18	4009	GASKET	42	4018	RIVET	61	5244	SCREW
19	4009	INSULATION	43	4009	NUT	62	5244	SCREW
20	4009	INSULATION	44	4018	NUT	63	4018	TERMINAL BOARD
21	4009	BOX	45	5244	NUT	64	4012	RELAY
22	4018	SCREW	46	4018	CLAMP	65	4012	SCREW
23	4009	SCREW	47	4018	WASHER	66	4006	SCREW
24	2210	DECAL				67	4006	SCREW



• FOR A, D, E, AND F CONNECTIONS
SEE FIGURE 5


Figure No. 5 Refrigerant Piping And Valves

LEGEND TO PARTS, FIGURE 5

ITEM NO.	FUNC GROUP	ITEM NAME	ITEM NO.	FUNC GROUP	ITEM NAME	ITEM NO.	FUNC GROUP	ITEM NAME
1	5217	ELBOW	12	5217	GROMMET	23	5217	SCREW
2	5217	TUBE	13	5217	TUBE	24	5217	VALVE
3	5217	ELBOW	14	5217	DISTRIBUTOR	25	5217	ELBOW
4	5217	TUBE	15	5217	GROMMET	26	5217	SCREW
5	5217	NIPPLE	16	5217	TUBE	27	5217	STRAIGHT
6	5217	ELBOW	17	5217	SCREW	28	5217	NUT
7	5217	CLAMP	18	5217	CONNECTOR	29	5217	VALVE
8	5217	NIPPLE	19	5217	GASKET	30	5217	NUT
9	5217	TEE	20	5217	ADAPTER	31	5217	TUBE
10	5217	ELBOW	21	5217	COIL	32	5217	TUBE
11	5217	ELBOW	22	5217	NUT			

ITEM NO.	FUNC GROUP	ITEM NAME
1	5217	TUBE
2	5217	TEE
3	5217	TUBE
4	5217	TUBE
5	5217	CLAMP
6	5217	SCREW
7	5217	NUT
8	5235	DEHYDRATOR
9	5235	CLAMP
10	5217	TUBE
11	5224	CLAMP
12	5224	RECEIVER
13	5224	WASHER
14	5224	WASHER
15	5224	NUT
16	5217	TUBE
17	5224	CLAMP
18	5217	ADAPTER
19	5217	VALVE
20	5217	VALVE

21	5217	TUBE
22	5217	TUBE
23	5217	TUBE
24	5217	TUBE
25	5217	CLAMP
26	5217	TEE
27	5217	VALVE
28	5217	CLAMP
29	5217	TUBE
30	5217	TUBE
31	5217	VALVE
32	5217	VALVE
33	5217	TUBE
34	5217	TUBE
35	5217	SIGHT GLASS



*FOR A, D, E, AND F CONNECTIONS
SEE FIGURE 6

Figure No. 6 Valves, Receiver, Sight Glass And Dehydrator

LEGEND TO PARTS, FIGURE 7

ITEM NO.	FUNCTION GROUP	ITEM NAME	ITEM NO.	FUNCTION GROUP	ITEM NAME	ITEM NO.	FUNCTION GROUP	ITEM NAME
1	5241	SCREW	11	5230	SCREW	22	5200	SCREW
2	5241	BRACKET	12	5230	WASHER	23	5200	WASHER
3	5230	NUT	13	5230	BRACKET	24	5200	NUT
3	5241	NUT	14	5230	SCREW	25	5241	CLAMP
4	5241	SCREW	15	5241	SCREW	26	5241	TUBE
5	5230	COIL	16	5230	NUT	27	5241	COIL
6	5230	RIVET	17	5230	NUT	28	5241	TUBE
7	5230	NUT	18	5230	BRACKET	29	5241	BRACKET
7	5241	NUT	19	5200	COMPRESSOR	30	2207	HEATER
8	5230	BRACKET	20	5241	RIVET	31	2207	SPRING
9	5230	SCREW	21	5241	CAP	32	4018	CONNECTOR
10	5241	SCREW				33	5012	THERMISTAT





Figure No. 7 Compressor, Evaporator And Condenser Coil




LEGEND TO PARTS, FIGURE 8

4120-259-25P/8

ITEM NO.	FUNCT GROUP	ITEM NAME	ITEM NO.	FUNCT GROUP	ITEM NAME
1	4018	SCREW	13	5243	WHEEL
2	5243	SCREW	14	4018	SCREW
3	5243	RING	15	4018	SCREW
4	5243	WHEEL	16	5243	SCREW
5	5243	SETScrew	17	5243	PLATE
6	5243	HOUSING	18	4018	RIVET
7	4018	NUT			
8	5243	NUT			
9	5243	RIVET			
10	5243	BRACKET			
11	5243	SCREW			
12	4000	MOTOR			
13	4000	SCREW			

Figure No. 8 Condenser Blower



LEGEND TO PARTS, FIGURE 9

ITEM NO.	FUNCT GROUP	ITEM NAME
1	5243	SCREW
2	5243	RING
3	5243	HOUSING
4	5243	NUT
5	5243	BRACKET
6	5243	WHEEL
7	5243	SETSCREW
8	5243	NUT
9	5243	WHEEL
10	4000	MOTOR
11	4000	SCREW
12	5243	RIVET

ITEM NO.	FUNCT GROUP	ITEM NAME
1	5243	SCREW
2	1801	SCREEN
3	5343	SCREW
4	5243	NUT
5	5243	CLAMP
6	5243	CABLE
7	5243	RIVET
8	5243	WASHER
9	5243	GASKET
10	5243	SCREW
11	5243	GASKET
12	5243	GASKET
13	5245	FILTER
14	5243	SCREW
15	5243	CONTROL
16	5243	NUT
17	5243	SCREW
18	5243	BRACKET
19	5243	KNOB
20	5243	RIVET
21	5243	GASKET
22	5243	GASKET
23	5243	BAR
24	5243	GASKET
25	5243	GASKET
26	5243	GASKET
27	5243	BAR
28	5243	WASHER




Figure No. 10 Damper And Filter

4120-259-25P/10

CROSS-REFERENCE TO INDEX NUMBER

REFERENCE No.	MFG CODE	INDEX No.	REFERENCE No.	MFG CODE	INDEX No.
017510-1	88044	00006	MS20303n-12	96406	00306
017511	41447	00306	MS20303n-15	96406	00306
03-30	72744	00047	MS20303n-23	96406	00306
03-35	72744	00125			
03-30	72744	00126	MS20303n-7	96406	00306
017511	00000	00406			
017511	99017	00430	MS20303n-8	96406	00306
017511-1032-24	78462	00426			
	78553	00410			
		00436			
017511	70255	00390			
017511-2000	02760	00233	MS203043-220	96406	00306
017511	01470	00514	MS20305-1	96406	00306
017511	72744	00046			
		00124	MS20306-1	96406	00306
017511	47539	00124	MS20303-12533	96406	00306
017511	10855	00226	MS20303-12533	96406	00306
017511	03510	00136	MS20303-165	96406	00306
017511	96406	00136	MS20303-18-43	96406	00306
017511	96406	00423	MS20303-22-223	96406	00306
		00462	MS20303-24-113	96406	00306
		00464	MS20303-32-04	96406	00306
		00490	MS20303-0	96406	00306
		00503	MS20303-8	96406	00306
017511	96406	00408	MS20303-12533	96406	00306
017511	96406	00481	MS20303-22-224	96406	00306
		00488	MS20303-24-114	96406	00306
		00493	MS20303-22-03	96406	00306
		00502	MS20303-22-224	96406	00306
017511	96406	00174	MS20303-333	96406	00306
017511	96406	00013			
017511	96406	00067			
		00104	MS20303-303	96406	00306
		00122	MS20303-6	96406	00306
017511	96406	00080	MS20303-101	96406	00306
		00211	MS20303-104	96406	00306
		00437	MS20303-14	96406	00306
017511	96406	00015			
		00088	MS20303-15	96406	00306
		00419	MS20303-22	96406	00306
017511	96406	00038	MS20303-102	96406	00306
017511	96406	00302	MS20303-1010	96406	00306
017511	96406	00012	MS20303-2-1	96406	00306
017511	96406	00172	MS20303-2-2	96406	00306
		00200	MS20303-7-3	96406	00306
017511	96406	00018	MS20303-7-7	96406	00306
017511	96406	00014	MS20303-7-2-2	96406	00306
		00011	MS20303-4	96406	00306
		00208	MS20303-3	96406	00306
		00431	MS20303-7	96406	00306
		00434	MS20303-4	96406	00306
		00472	MS20303-4	96406	00306
		00014	MS20303-4	96406	00306
		00037	MS20303-7-12	96406	00306
		00016	MS20303-7-3	96406	00306
		00017			
017511	96406	00133	MS20303-6	96406	00306
017511	96406	00233	MS20303-7	96406	00306
017511	96406	00243	MS20303-8	96406	00306
017511	96406	00340	MS20303-17	96406	00306
		00436			
017511	96406	00031	MS20303-22	96406	00306
		00177			
		00246	MS20303-26	96406	00306
		00334	MS20303-33	96406	00306
		00418	MS20303-43	96406	00306
		00433			
		00435			
		00437	MS20303-47	96406	00306
		00505	MS20303-34	96406	00306
017511	96406	00188	MS20303-61	96406	00306
		00217	MS20303-63	96406	00306
		00247			
		00248			
		00344			
017511	96406	00317			
017511	96406	00322			
		00473			
		00323			
017511	96406	00273			
017511	96406	00324	MS20303-64	96406	00306
017511	96406	00325			

REFERENCE No.	MFG CODE	INDEX No.	REFERENCE No.	MFG CODE	INDEX No.
0255-1908-54	769006	00341	0255-1000A55Y	77534	00229
		00340	026-1456204000-3-3	70225	00401
		00350	026-1454914000	70436	00475
0255-1908-55	769006	00364	026-1454914000	00935	00480
		00110			00488
		00132	024-118070900	00435	00151
		00133	024-118061900	00435	00150
		00134	035-000160400	00435	00148
		00344	035-000170400	00435	00141
		00421	035-000180400	00435	00145
0255-1908-60	769006	00349	035-000190400	00435	00142
0255-1908-61	769006	00135	035-000200400	00435	00143
0255-1908-101	769006	00348	035-000210400	00435	00146
0255-1908-63	769006	00306	035-000220400	00435	00144
		00348	035-000230400	00435	00147
0255-1908-66	769006	00307	035-000240400	00435	00149
0255-1908-67	769006	00312	000-0001146400	00435	00025
		00420	000-000120400	00435	00030
		00436	000-000130400	00435	00141
		00462	000-000140400	00435	00362
		00510	000-000230400	00435	00378
		00525	000-000240400	00435	00372
0255-1908-68	769006	00423	000-000250400	00435	00376
0255-1908-69	769006	00406	000-000260400	00435	00380
0255-1908-70	769006	00345	000-000270400	00435	00383
0255-1908-71	769006	00310	000-000280400	00435	00382
		00311	000-000290400	00435	00386
		00334	000-000300400	00435	00384
		00370	000-000310400	00435	00380
		00406	000-000320400	00435	00383
		00420	000-000330400	00435	00387
		00436	000-000340400	00435	00391
		00462	000-000350400	00435	00392
		00510	000-000360400	00435	00394
		00525	000-000370400	00435	00397
		00541	000-000380400	00435	00398
		00556	000-000390400	00435	00400
		00570	000-000400400	00435	00401
		00585	000-000410400	00435	00402
		00600	000-000420400	00435	00403
		00615	000-000430400	00435	00404
		00630	000-000440400	00435	00405
		00645	000-000450400	00435	00406
		00660	000-000460400	00435	00407
		00675	000-000470400	00435	00408
		00690	000-000480400	00435	00409
		00705	000-000490400	00435	00410
		00720	000-000500400	00435	00411
		00735	000-000510400	00435	00412
		00750	000-000520400	00435	00413
		00765	000-000530400	00435	00414
		00780	000-000540400	00435	00415
		00795	000-000550400	00435	00416
		00810	000-000560400	00435	00417
		00825	000-000570400	00435	00418
		00840	000-000580400	00435	00419
		00855	000-000590400	00435	00420
		00870	000-000600400	00435	00421
		00885	000-000610400	00435	00422
		00900	000-000620400	00435	00423
		00915	000-000630400	00435	00424
		00930	000-000640400	00435	00425
		00945	000-000650400	00435	00426
		00960	000-000660400	00435	00427
		00975	000-000670400	00435	00428
		00990	000-000680400	00435	00429
		01005	000-000690400	00435	00430
		01020	000-000700400	00435	00431
		01035	000-000710400	00435	00432
		01050	000-000720400	00435	00433
		01065	000-000730400	00435	00434
		01080	000-000740400	00435	00435
		01095	000-000750400	00435	00436
		01110	000-000760400	00435	00437
		01125	000-000770400	00435	00438
		01140	000-000780400	00435	00439
		01155	000-000790400	00435	00440
		01170	000-000800400	00435	00441
		01185	000-000810400	00435	00442
		01200	000-000820400	00435	00443
		01215	000-000830400	00435	00444
		01230	000-000840400	00435	00445
		01245	000-000850400	00435	00446
		01260	000-000860400	00435	00447
		01275	000-000870400	00435	00448
		01290	000-000880400	00435	00449
		01305	000-000890400	00435	00450
		01320	000-000900400	00435	00451
		01335	000-000910400	00435	00452
		01350	000-000920400	00435	00453
		01365	000-000930400	00435	00454
		01380	000-000940400	00435	00455
		01395	000-000950400	00435	00456
		01410	000-000960400	00435	00457
		01425	000-000970400	00435	00458
		01440	000-000980400	00435	00459
		01455	000-000990400	00435	00460
		01470	000-001000400	00435	00461
		01485	000-001010400	00435	00462
		01500	000-001020400	00435	00463
		01515	000-001030400	00435	00464
		01530	000-001040400	00435	00465
		01545	000-001050400	00435	00466
		01560	000-001060400	00435	00467
		01575	000-001070400	00435	00468
		01590	000-001080400	00435	00469
		01605	000-001090400	00435	00470
		01620	000-001100400	00435	00471
		01635	000-001110400	00435	00472
		01650	000-001120400	00435	00473
		01665	000-001130400	00435	00474
		01680	000-001140400	00435	00475
		01695	000-001150400	00435	00476
		01710	000-001160400	00435	00477
		01725	000-001170400	00435	00478
		01740	000-001180400	00435	00479
		01755	000-001190400	00435	00480
		01770	000-001200400	00435	00481
		01785	000-001210400	00435	00482
		01800	000-001220400	00435	00483
		01815	000-001230400	00435	00484
		01830	000-001240400	00435	00485
		01845	000-001250400	00435	00486
		01860	000-001260400	00435	00487
		01875	000-001270400	00435	00488
		01890	000-001280400	00435	00489
		01905	000-001290400	00435	00490
		01920	000-001300400	00435	00491
		01935	000-001310400	00435	00492
		01950	000-001320400	00435	00493
		01965	000-001330400	00435	00494
		01980	000-001340400	00435	00495
		01995	000-001350400	00435	00496
		02010	000-001360400	00435	00497
		02025	000-001370400	00435	00498
		02040	000-001380400	00435	00499
		02055	000-001390400	00435	00500
		02070	000-001400400	00435	00501
		02085	000-001410400	00435	00502
		02100	000-001420400	00435	00503
		02115	000-001430400	00435	00504
		02130	000-001440400	00435	00505
		02145	000-001450400	00435	00506
		02160	000-001460400	00435	00507
		02175	000-001470400	00435	00508
		02190	000-001480400	00435	00509
		02205	000-001490400	00435	00510
		02220	000-001500400	00435	00511
		02235	000-001510400	00435	00512
		02250	000-001520400	00435	00513
		02265	000-001530400	00435	00514
		02280	000-001540400	00435	00515
		02295	000-001550400	00435	00516
		02310	000-001560400	00435	00517
		02325	000-001570400	00435	00518
		02340	000-001580400	00435	00519
		02355	000-001590400	00435	00520
		02370	000-001600400	00435	00521
		02385	000-001610400	00435	00522
		02400	000-001620400	00435	00523
		02415	000-001630400	00435	00524
		02430	000-001640400	00435	00525
		02445	000-001650400	00435	00526
		02460	000-001660400	00435	00527
		02475	000-001670400	00435	00528
		02490	000-001680400	00435	00529
		02505	000-001690400	00435	00530
		02520	000-001700400	00435	00531
		02535	000-001710400	00435	00532
		02550	000-001720400	00435	00533
		02565	000-001730400	00435	00534
		02580	000-001740400	00435	00535
		02595	000-001750400	00435	00536
		02610	000-001760400	00435	00537
		02625	000-001770400	00435	00538
		02640	000-001780400	00435	00539
		02655	000-001790400	00435	00540
		02670	000-001800400	00435	00541
		02685	000-001810400	00435	00542
		02700	000-001820400	00435	00543
		02715	000-001830400	00435	00544
		02730	000-001840400	00435	00545
		02745	000-001850400	00435	00546
		02760	000-001860400	00435	00547
		02775	000-001870400	00435	00548
		02790	000-001880400	00435	00549
		02805	000-001890400	00435	00550
		02820	000-001900400	00435	00551
		02835	000-001910400	00435	00552
		02850	000-001920400	00435	00553
		02865	000-001930400	00435	00554
		02880	000-001940400	00435	00555
		02895	000-001950400	00435	00556
		02910	000-001960400	00435	00557
		02925	000-001970400	00435	00558
		02940	000-001980400	00435	00559
		02955	000-001990400	00435	00560
		02970	000-002000400	00435	00561
		02985	000-002010400	00435	00562
		03000	000-002020400	00435	00563
		03015	000-002030400	00435	00564
		03030	000-002040400	00435	

CROSS-REFERENCE TO INDEX NUMBER

REFERENCE No.	Mfrs Code	INDEX No.	REFERENCE No.	Mfrs Code	INDEX No.
060-00450A900	06935	00045	360-00375B900	06935	00146
060-00457A900	06935	00046	360-00376B900	06935	00110
060-00470B900	06935	00110	360-00377B900	06935	00111
060-00471-900	06935	00115	360-00380B900	06935	00112
060-00472B900	06935	00112	360-00381B900	06935	00091
060-00473B900	06935	00118	360-00382B900	06935	00093
060-00474B900	06935	00113	360-00383B900	06935	00129
060-00475B900	06935	00114	360-00384B900	06935	00094
060-00476B900	06935	00074	360-00385B900	06935	00095
060-00479A900	06935	00073	360-00386B900	06935	00096
060-00480B900	06935	00046	360-00387B900	06935	00097
060-00481A900	06935	00047	360-00388B900	06935	00098
060-00482A900	06935	00049	360-00389B900	06935	00099
060-00483A900	06935	00051	360-00390B900	06935	00100
060-00484A900	06935	00052	360-00391B900	06935	00101
060-00485A900	06935	00054	360-00392B900	06935	00102
060-00486A900	06935	00076	360-00393B900	06935	00103
060-00487A900	06935	00078	360-00394B900	06935	00104
060-00488A900	06935	00079	360-00395B900	06935	00105
060-00490-900	06935	00221	360-00396B900	06935	00106
060-00490-900	06935	00223	360-00397B900	06935	00107
060-00497B900	06935	00227	360-00398B900	06935	00108
060-00500-900	06935	00050	360-00399B900	06935	00109
060-00501B900	06935	00205	360-00400B900	06935	00110
060-00501C900	06935	00208	360-00401B900	06935	00111
060-00501D900	06935	00209	360-00402B900	06935	00112
060-00501E900	06935	00334	360-00403B900	06935	00113
060-00501F900	06935	00335	360-00404B900	06935	00114
060-00501G900	06935	00336	360-00405B900	06935	00115
060-00501H900	06935	00337	360-00406B900	06935	00116
060-00501I900	06935	00338	360-00407B900	06935	00117
060-00501J900	06935	00339	360-00408B900	06935	00118
060-00501K900	06935	00340	360-00409B900	06935	00119
060-00501L900	06935	00341	360-00410B900	06935	00120
060-00501M900	06935	00342	360-00411B900	06935	00121
060-00501N900	06935	00343	360-00412B900	06935	00122
060-00501O900	06935	00344	360-00413B900	06935	00123
060-00501P900	06935	00345	360-00414B900	06935	00124
060-00501Q900	06935	00346	360-00415B900	06935	00125
060-00501R900	06935	00347	360-00416B900	06935	00126
060-00501S900	06935	00348	360-00417B900	06935	00127
060-00501T900	06935	00349	360-00418B900	06935	00128
060-00501U900	06935	00350	360-00419B900	06935	00129
060-00501V900	06935	00351	360-00420B900	06935	00130
060-00501W900	06935	00352	360-00421B900	06935	00131
060-00501X900	06935	00353	360-00422B900	06935	00132
060-00501Y900	06935	00354	360-00423B900	06935	00133
060-00501Z900	06935	00355	360-00424B900	06935	00134
060-00502A900	06935	00356	360-00425B900	06935	00135
060-00502B900	06935	00357	360-00426B900	06935	00136
060-00502C900	06935	00358	360-00427B900	06935	00137
060-00502D900	06935	00359	360-00428B900	06935	00138
060-00502E900	06935	00360	360-00429B900	06935	00139
060-00502F900	06935	00361	360-00430B900	06935	00140
060-00502G900	06935	00362	360-00431B900	06935	00141
060-00502H900	06935	00363	360-00432B900	06935	00142
060-00502I900	06935	00364	360-00433B900	06935	00143
060-00502J900	06935	00365	360-00434B900	06935	00144
060-00502K900	06935	00366	360-00435B900	06935	00145
060-00502L900	06935	00367	360-00436B900	06935	00146
060-00502M900	06935	00368	360-00437B900	06935	00147
060-00502N900	06935	00369	360-00438B900	06935	00148
060-00502O900	06935	00370	360-00439B900	06935	00149
060-00502P900	06935	00371	360-00440B900	06935	00150
060-00502Q900	06935	00372	360-00441B900	06935	00151
060-00502R900	06935	00373	360-00442B900	06935	00152
060-00502S900	06935	00374	360-00443B900	06935	00153
060-00502T900	06935	00375	360-00444B900	06935	00154
060-00502U900	06935	00376	360-00445B900	06935	00155
060-00502V900	06935	00377	360-00446B900	06935	00156
060-00502W900	06935	00378	360-00447B900	06935	00157
060-00502X900	06935	00379	360-00448B900	06935	00158
060-00502Y900	06935	00380	360-00449B900	06935	00159
060-00502Z900	06935	00381	360-00450B900	06935	00160
060-00503A900	06935	00382	360-00451B900	06935	00161
060-00503B900	06935	00383	360-00452B900	06935	00162
060-00503C900	06935	00384	360-00453B900	06935	00163
060-00503D900	06935	00385	360-00454B900	06935	00164
060-00503E900	06935	00386	360-00455B900	06935	00165
060-00503F900	06935	00387	360-00456B900	06935	00166
060-00503G900	06935	00388	360-00457B900	06935	00167
060-00503H900	06935	00389	360-00458B900	06935	00168
060-00503I900	06935	00390	360-00459B900	06935	00169
060-00503J900	06935	00391	360-00460B900	06935	00170
060-00503K900	06935	00392	360-00461B900	06935	00171
060-00503L900	06935	00393	360-00462B900	06935	00172
060-00503M900	06935	00394	360-00463B900	06935	00173
060-00503N900	06935	00395	360-00464B900	06935	00174
060-00503O900	06935	00396	360-00465B900	06935	00175
060-00503P900	06935	00397	360-00466B900	06935	00176
060-00503Q900	06935	00398	360-00467B900	06935	00177
060-00503R900	06935	00399	360-00468B900	06935	00178
060-00503S900	06935	00400	360-00469B900	06935	00179
060-00503T900	06935	00401	360-00470B900	06935	00180
060-00503U900	06935	00402	360-00471B900	06935	00181
060-00503V900	06935	00403	360-00472B900	06935	00182
060-00503W900	06935	00404	360-00473B900	06935	00183
060-00503X900	06935	00405	360-00474B900	06935	00184
060-00503Y900	06935	00406	360-00475B900	06935	00185
060-00503Z900	06935	00407	360-00476B900	06935	00186
060-00504A900	06935	00408	360-00477B900	06935	00187
060-00504B900	06935	00409	360-00478B900	06935	00188
060-00504C900	06935	00410	360-00479B900	06935	00189
060-00504D900	06935	00411	360-00480B900	06935	00190
060-00504E900	06935	00412	360-00481B900	06935	00191
060-00504F900	06935	00413	360-00482B900	06935	00192
060-00504G900	06935	00414	360-00483B900	06935	00193
060-00504H900	06935	00415	360-00484B900	06935	00194
060-00504I900	06935	00416	360-00485B900	06935	00195
060-00504J900	06935	00417	360-00486B900	06935	00196
060-00504K900	06935	00418	360-00487B900	06935	00197
060-00504L900	06935	00419	360-00488B900	06935	00198
060-00504M900	06935	00420	360-00489B900	06935	00199
060-00504N900	06935	00421	360-00490B900	06935	00200
060-00504O900	06935	00422	360-00491B900	06935	00201
060-00504P900	06935	00423	360-00492B900	06935	00202
060-00504Q900	06935	00424	360-00493B900	06935	00203
060-00504R900	06935	00425	360-00494B900	06935	00204
060-00504S900	06935	00426	360-00495B900	06935	00205
060-00504T900	06935	00427	360-00496B900	06935	00206
060-00504U900	06935	00428	360-00497B900	06935	00207
060-00504V900	06935	00429	360-00498B900	06935	00208
060-00504W900	06935	00430	360-00499B900	06935	00209
060-00504X900	06935	00431	360-00500B900	06935	00210
060-00504Y900	06935	00432			
060-00504Z900	06935	00433			
060-00505A900	06935	00434			
060-00505B900	06935	00435			
060-00505C900	06935	00436			
060-00505D900	06935	00437			
060-00505E900	06935	00438			
060-00505F900	06935	00439			
060-00505G900	06935	00440			
060-00505H900	06935	00441			
060-00505I900	06935	00442			
060-00505J900	06935	00443			
060-00505K900	06935	00444			
060-00505L900	06935	00445			
060-00505M900	06935	00446			
060-00505N900	06935	00447			
060-00505O900	06935	00448			
060-00505P900	06935	00449			
060-00505Q900	06935	00450			
060-00505R900	06935	00451			
060-00505S900	06935	00452			
060-00505T900	06935	00453			
060-00505U900	06935	00454			
060-00505V900	06935	00455			
060-00505W900	06935	00456			
060-00505X900	06935	00457			
060-00505Y900	06935	00458			
060-00505Z900	06935	00459			
060-00506A900	06935	00460			
060-00506B900	06935	00461			
060-00506C900	06935	00462			
060-00506D900	06935	00463			
060-00506E900	06935	00464			
060-00506F900	06935	00465			
060-00506G900	06935	00466			
060-00506H900	06935	00467			
060-00506I900	06935	00468			
060-00506J900	06935	00469			
060-00506K900	06935	00470			
060-00506L900	06935	00471			
060-00506M900	06935	00472			
060-00506N900	06935	00473			
060-00506O900	06935	00474			
060-00506P900	06935	00475			
060-00506Q900	06935	00476</			

tion VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO INDEX NUMBER

STOCK NUMBER	INDEX NUMBER	STOCK NUMBER	INDEX NUMBER	STOCK NUMBER	INDEX NUMBER
00-180-5309	00006	5305-059-3662	00309	5320-957-1427	00019
00-087-4539	00157	5305-059-3671	00135		00037
00-087-4540	00156	5305-059-3677	00344	5325-171-6795	00125
00-087-4565	00237		00421	5325-174-9008	00274
00-087-4566	00138	5305-071-1322	00306	5325-270-8890	00332
00-087-4567	00415	5305-071-1323	00509	5325-276-6100	00333
00-087-4570	00432	5305-071-1324	00420		00316
00-789-0417	00388		00438	5325-281-4960	00046
00-792-6546	00426		00462		00124
00-825-0974	00397		00510		00124
00-981-6518	00316	5305-619-4989	00514	5325-283-1173	00055
00-983-5888	00519	5305-706-8385	00163		00073
00-989-5900	00351	5305-880-3350	00318	5325-485-1054	00047
	00353	5306-638-7119	00633	5330-679-7830	00124
	00361		00162		00390
	00363	5310-016-7520	00177	5330-079-7850	00216
	00369	5310-042-6903	00299	5330-836-4395	00244
	00371	5310-058-2951	00313	5330-914-7051	00243
	00373	5310-059-3660	00440	5340-757-6508	00242
	00375	5310-059-3677	00224	5340-898-2085	00323
	00375	5310-061-7326	00031	5340-929-3506	00273
00-203-3171	00317		00032		00324
	00379		00180	5340-995-0760	00325
	00382		00212	5345-538-7331	00509
00-277-5530	00526		00296	5345-579-2890	00232
	00336		00339	5345-835-6235	00231
	00357		00413	5345-901-1320	00473
	00359		00418	5640-787-7888	00022
	00365		00435		00024
	00384		00455		00204
	00527		00457		00207
00-277-5532	00358		00505		00227
	00367	5310-082-1404	00311	5640-914-6031	00026
	00386	5310-514-8674	00511		00030
	00528	5310-543-5655	00407		00045
00-277-7513	00355	5310-546-8771	00409		00061
00-235-1777	00443	5310-773-7618	00408		00063
	00445	5310-782-1349	00482		00065
00-022-1334	00529		00489		00067
00-027-0773	00388		00496		00083
00-189-2737	00330		00503		00085
00-254-6447	00381	5310-809-8546	00310		00103
00-254-6450	00327		00423		00105
00-263-6482	00326	5310-823-8835	00317		00107
00-274-5828	00347	5310-869-2544	00235		00117
00-277-6200	00406	5310-889-2549	00295		00119
00-342-3019	00425		00340		00523
00-984-4726	00431		00456	5640-914-6091	00026
00-983-5931	00389	5310-869-2706	00312	5925-088-3940	00227
00-983-5932	00400	5310-962-5000	00185	5925-979-5856	00299
00-997-0008	00398		00217	5930-052-2931	00391
00-997-9768	00405		00297	5930-054-0360	00187
00-013-9043	00399		00298	5930-669-9958	00236
00-054-5651	00469		00394	5935-259-1782	00280
	00225	5320-052-7997	00017	5935-577-8589	00270
	00305	5320-059-3660	00307	5935-581-4193	00279
00-054-5656	00186	5320-060-1180	00012	5935-801-6615	00392
	00395	5320-117-6826	00152	5935-804-8816	00292
00-054-6657	00234		00200	5935-847-0568	00271
00-054-6670	00308	5320-117-6833	00018	5935-991-7233	00246
	00343	5320-117-6938	00087	5940-204-9142	00247
	00463		00109	5940-534-0970	00249
00-054-6672	00303		00122		00250
00-059-3657	00178	5320-117-6939	00086		00260
00-059-3659	00304		00211	5940-557-1627	00189
	00342		00437		00215
	00422	5320-117-6942	00038	5940-557-1631	00294
	00439	5320-117-6943	00013	5940-644-8713	00248
	00460	5320-244-3469	00302		00255
	00461	5320-284-0672	00015		00259
	00506		00088		00263
00-059-3660	00130		00419		00266
	00131	5320-761-3134	00014	5940-785-5888	00069
	00179		00071	5945-052-9010	00233
	00341		00268	5970-899-7760	00222
	00507		00451		00244
00-059-3661	00089		00454	6105-087-4564	00176
	00110		00472	6105-891-7623	00161
	00132	5320-855-1310	00481	6105-983-5843	00160
	00133		00488	6110-706-5398	00174

Official:

General, United States Army,
Chief of Staff.

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-25, (qty rqr block no. 554) Section III, Organizational
maintenance requirements for Air Conditioners, 36,000 BTU, Floor Mounting.

U.S. GOVERNMENT PRINTING OFFICE : 1988 O - 219-548

IM 3-4120-237-23P AIR CONDITIONER; BASE MODIFIED, AIR COOLED-1968